



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitranganj Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000247	Date :	15-02-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.-631/05) M/S Jindal Saw Limited,, Araj No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	02-02-2023 12:14 to 03-02-2023 12:14
Point of Collection :	Near Tiranga Pit (74°32'18"N 25°19'32"E]	Date of Receipt :	08-02-2023
Date of Test/Analysis :	08-02-2023 to 14-02-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	320	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.38	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	152.52	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	31.78	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	5.73	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	83.33	IS 5182 (Part 23)-2006 RA 2017	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purnima Yogi

Senior Analyst

Rajesh Maheshwar

Authorized Signatory

(Report No: TC502523400000247 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000248	Date :	15-02-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.-631/05) M/S Jindal Saw Limited., Araji No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	02-02-2023 12:15 to 03-02-2023 12:15
Point of Collection :	Samodi Village (74°32'57" N 25°20'53"E]	Date of Receipt :	08-02-2023
Date of Test/Analysis :	08-02-2023 to 14-02-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	270	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	14.79	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	131.46	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	28.75	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	4.6	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	64.16	IS 5182 (Part 23)-2006 RA 2017	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purnan Mal Yogi  
Senior Analyst

Rajesh Maheshwan  
Authorized Signatory

(Report No: TC502523400000248 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000246	Date :	15-02-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.- 631/05) M/S Jindal Saw Limited,, Araj No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	01-02-2023 12:13 to 02-02-2023 12:13
Point of Collection :	Dhulkhera Pit [74°34'26"N 25°23'32"E]	Date of Receipt :	08-02-2023
Date of Test/Analysis :	08-02-2023 to 14-02-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	340	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.18	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	141.49	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	33.06	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	5.55	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	76.92	IS 5182 (Part 23)-2006 RA 2017	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puranjit Mal Yogi

Senior Analyst

Rajesh Maheshwar

Authorized Signatory

(Report No: TC502523400000246 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000245	Date :	15-02-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.-631/05) M/S Jindal Saw Limited,, Arajai No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	01-02-2023 12:12 to 02-02-2023 12:12
Point of Collection :	Suras Pit (74°34'10"N,25°23'25"E)	Date of Receipt :	08-02-2023
Date of Test/Analysis :	08-02-2023 to 14-02-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Banwari Lal Kumawat
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	350	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.51	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	153	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	30.01	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	3.51	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	79.73	IS 5182 (Part 23)-2006 RA 2017	100.00

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi  
Senior Analyst

Rajesh Maheshwan  
Authorized Signatory  
(Report No: TC502523400000245 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitranjan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000431	Date :	15-03-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.- 631/05) M/S Jindal Saw Limited,, Araj No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	27-02-2023 14:47 to 28-02-2023 14:47
Point of Collection :	Near Tiranga Pit (74°32'18"N 25°19'32"E]	Date of Receipt :	01-03-2023
Date of Test/Analysis :	01-03-2023 to 14-03-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Prahlad yogi
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	260	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	14.63	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	143.02	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	38.76	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	6.12	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	76.07	IS 5182 (Part 23)-2006 RA 2017	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Senior Analyst

  
Authorized Signatory  
(Report No: TC502523400000431 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000434	Date :	15-03-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.- 631/05) M/S Jindal Saw Limited., Araj No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	27-02-2023 15:33 to 28-02-2023 15:33
Point of Collection :	Samodi Village (74°32'57" N 25°20'53"E]	Date of Receipt :	01-03-2023
Date of Test/Analysis :	01-03-2023 to 14-03-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Prahlad yogi
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	250	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	11.82	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	141.13	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	28.95	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	5.58	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	74.03	IS 5182 (Part 23)-2006 RA 2017	100.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Sunil Kumar  
Senior Analyst

Purnan Mal Yogi  
Authorized Signatory  
(Report No: TC502523400000434 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

**RSPCB**

**ISO 9001:2015,**

**ISO 14001:2015,**

**ISO 45001:2018 (OH&S)**

**JDA/UDH**

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000432	Date :	15-03-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.- 631/05) M/S Jindal Saw Limited., Arajai No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	26-02-2023
Point of Collection :	Dhulkhera Pit [74°34'26"N 25°23'32"E]	Date of Receipt :	01-03-2023
Date of Test/Analysis :	01-03-2023 to 14-03-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Prahlad yogi
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	370	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	15.99	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	161.73	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	37.87	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	3.59	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	80.67	IS 5182 (Part 23)-2006 RA 2017	100.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Senior Analyst

Authorized Signatory  
(Report No: TC502523400000432 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

**RSPCB**

**ISO 9001:2015,**

**ISO 14001:2015,**

**ISO 45001:2018 (OH&S)**

**JDA/UDH**

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : +91 6377210064, 9414077379,  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : +91 9460222039, 9460222049,  
Email : director@teamtesthouse.com,  
Email : marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502523400000433	Date :	15-03-2023
Issued To :	Dhedwas Iron Ore Mines & BFN Plant (ML No.- 631/05) M/S Jindal Saw Limited., Arajai No. 9697/6711, Near Tiranga Hills ,Village : Pur ,Tehsil & District-Bhilwara (Raj.) (Rajasthan),	Type of Unit :	Mines
Type of sample / Discipline :	Ambient Air Quality Monitoring / Chemical	Date of Sample Collection/Monitoring :	26-02-2023 15:32 to 27-02-2023 15:32
Point of Collection :	Suras Pit (74°34'10"N,25°23'25"E)	Date of Receipt :	01-03-2023
Date of Test/Analysis :	01-03-2023 to 14-03-2023	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Prahlad yogi
Unit's representative :	Mr Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	330	TTH/AAQM/08	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	15.54	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	184.16	IS 5182 (Part 4) : 1999 RA 2019	Not Specified
4	Particulate Matter (PM2.5) [microgram/m3]	32.55	IS 5182 (Part 24) : 2019	60.00
5	Sulphur Dioxide [microgram/m3]	4.24	IS 5182 (Part 2) : 2001 RA 2017	80.00
6	Particulate Matter (PM 10) [microgram/m3]	77.97	IS 5182 (Part 23)-2006 RA 2017	100.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Senior Analyst

  
Authorized Signatory  
(Report No: TC502523400000433 )