



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. 511/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	05/02/2014	05/02/2014	05/02/2014
03.	Time of sampling	----	9.00	9.20	9.45
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	2 to 12	2 to 12	2 to 12
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	48	59	44
11.	Permissible limits for PM 2.5	µg/m³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	32	41	23
13.	Permissible limits for SO₂	µg/m³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.9	13.2	12.6
15.	Permissible limits for NO₂	µg/m³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	22.3	24.7	23.2
17.	Permissible limit for CO **	µg/m³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	291	336	264

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attechme 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109)

(6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. 512/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	---	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	---	06/02/2014	06/02/2014	06/02/2014
03.	Time of sampling	---	9.10	9.30	9.55
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	W	W	W
06.	Average Wind Speed	Km/Hr.	3 to 10	3 to 10	3 to 10
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	40	64	41
11.	Permissible limits for PM 2.5	µg/m³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	29	39	26
13.	Permissible limits for SO₂	µg/m³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.3	13.7	12.1
15.	Permissible limits for NO₂	µg/m³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	23.3	24.4	22.7
17.	Permissible limit for CO **	µg/m³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	277	348	257

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attechme 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No 513/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	---	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	---	11/02/2014	11/02/2014	11/02/2014
03.	Time of sampling	---	9.10	9.25	9.45
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NNW	NNW	NNW
06.	Average Wind Speed	Km/Hr.	4 to 12	4 to 12	4 to 12
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	52	60	39
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	28	38	31
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	13.6	14.9	12.8
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	23.7	25.1	22.5
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	346	372	237

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attachment of 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014

Royal Environment Auditing & Consultancy Service



Manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 514/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	12/02/2014	12/02/2014	12/02/2014
03.	Time of sampling	----	9.20	9.35	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NNW	NNW	NNW
06.	Average Wind Speed	Km/Hr.	3 to 15	3 to 15	3 to 15
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	56	67	42
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	25	43	29
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	13.1	14.4	12.2
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	22.8	24.9	23.1
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	322	361	243

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attachment of 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014

Royal Environment Auditing & Consultancy Service



Mamraj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7; B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :515/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	19/02/2014	19/02/2014	19/02/2014
03.	Time of sampling	----	9.10	9.30	9.50
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	E	E	E
06.	Average Wind Speed	Km/Hr.	4 to 12	4 to 12	4 to 12
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	52	70	43
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	29	47	36
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	11.6	12.9	12.2
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	21.4	22.7	19.5
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	346	324	276

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attechr 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 516/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	20/02/2014	20/02/2014	20/02/2014
03.	Time of sampling	----	9.25	9.40	10.05
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	W	W	W
06.	Average Wind Speed	Km/Hr.	3 to14	3 to14	3 to14
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	55	76	45
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	26	44	28
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	11.9	12.3	10.6
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	20.8	23.1	19.2
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	354	337	258

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attechmer 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014



manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :517/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	24/02/2014	24/02/2014	24/02/2014
03.	Time of sampling	----	9.15	9.30	9.45
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	N	N	N
06.	Average Wind Speed	Km/Hr.	3 to 12	3 to 12	3 to 12
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m ³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	49	64	42
11.	Permissible limits for PM 2.5	µg/m ³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	26	41	23
13.	Permissible limits for SO ₂	µg/m ³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.6	13.8	11.2
15.	Permissible limits for NO ₂	µg/m ³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	23.4	22.1	19.3
17.	Permissible limit for CO **	µg/m ³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	348	352	217

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attachment of 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014

Royal Environment Auditing & Consultancy Service



Munej
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :518/02/2013-14

Date: 02/03/2014

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	25/02/2014	25/02/2014	25/02/2014
03.	Time of sampling	-----	9.25	9.40	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	-----	NNW	NNW	NNW
06.	Average Wind Speed	Km/Hr.	4 to 14	4 to 14	4 to 14
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	52	67	45
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	33	39	26
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	13.3	14.9	12.3
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	22.7	21.6	20.1
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	354	377	228

Instrument used : (1) Envirotech make 1 No. of RDS (APM - 460 BL) (2) 1 No. of Gaseous Sampling Kit (APM 411) (3) Ecotech make Attachment of 1 No. of PM 2.5 Sampler (AAS 127) (4) Ecotech make 2 Nos. of RDS (AAS 217 BL) (5) Gaseous sampling attachment (AAS 109) (6) Ecotech make 2 Nos. of PM 2.5 sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014 (4) 06/05/2014 (5) 05/05/2014 (6) 06/05/2014

Royal Environment Auditing & Consultancy Service



Munoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 02/03/2014

Ref. No. :519/02/2013-14

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr.No.	Particulars	Unit	AAQM - 1 (S)	AAQM - 2 (SSW)	AAQM - 3 (WSW)	AAQM - 4 (NW)
01.	Location of Ambient	----	Old Colony (Nr. Environment Laboratory)	Nr. Rain Water Harvesting	LPG Yard (Nr. Water Reservoir)	Between Sinter - 2 & Spiral - 2
02.	Date of sampling	----	10/02/2014	10/02/2014	08/02/2014	08/02/2014
03.	Time of sampling	----	9.15	9.30	9.00	9.20
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	W	W	WNW	WNW
06.	Average Wind Speed	Km/Hr.	2 to 12	3 to 14	2 to 12	3 to 14
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100	100
10.	Measured Concentration of PM 10	µg/m3	38	57	63	49
11.	Permissible limits for PM 2.5	µg/m3	60	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	23	35	46	31
13.	Permissible limits for SO2	µg/m3	80	80	80	80
14.	Measured Concentration of SO2	µg/m3	11.2	10.7	15.4	13.6
15.	Permissible limits for NO2	µg/m3	80	80	80	80
16.	Measured Concentration of NO2	µg/m3	14.4	15.6	23.1	19.7
17.	Permissible limit for CO **	µg/m3	2000	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	138	207	334	287

Instrument used : (1) Envirotech make 2 Nos. RDS (APM - 460 BL) (2) 2 Nos. Gaseous Sampling Kit (APM 411)
(3) Ecotech make Attachment of 2 Nos. PM 2.5 Sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014

Royal Environment Auditing & Consultancy Service



Munshi
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 02/03/2014

Ref. No. :520/02/2013-14

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	AAQM - 5 (NE)	AAQM - 6 (SE)	AAQM - 7 (SSE)	AAQM - 8 (E)
01.	Location of Ambient	----	Labour Colony	New Colony (Shopping Centre)	Admin Building	Weigh bridge
02.	Date of sampling	----	10/02/2014	08/02/2014	10/02/2014	08/02/2014
03.	Time of sampling	----	9.55	9.35	10.20	9.50
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	W	WNW	N	WNW
06.	Average Wind Speed	Km/Hr.	2 to 12	3 to 14	2 to 12	3 to 14
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100	100
12.	Measured Concentration of PM 10	µg/m ³	40	44	51	67
11.	Permissible limits for PM 2.5	µg/m³	60	60	60	60
10.	Measured Concentration of PM 2.5	µg/m ³	31	26	28	41
13.	Permissible limits for SO_x	µg/m³	80	80	80	80
14.	Measured Concentration of SO _x	µg/m ³	13.4	10.9	13.8	14.6
15.	Permissible limits for Nox	µg/m³	80	80	80	80
	Measured Concentration of NO _x	µg/m ³	18.7	19.1	21.3	24.8
17.	Permissible limit for CO **	µg/m³	2000	2000	2000	2000
18.	Measured Concentration of	µg/m ³	276	164	252	367

Instrument used : (1) Envirotech make 2 Nos. RDS (APM - 460 BL) (2) 2 Nos. Gaseous Sampling Kit (APM 411)

(3) Ecotech make Attachment of 2 Nos. PM 2.5 Sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014

Royal Environment Auditing & Consultancy Service



Munoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :521/02/2013-14

Date: 02/03/2014

FUGITIVE EMISSION MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	A - 1	A - 2	A - 3
01.	Location of Ambient	----	RMH Junction House	RMH Stock House	Sinter RMH Yard
02.	Date of sampling	----	06/02/2014	13/02/2014	13/02/2014
03.	Time of sampling	----	9.00	9.15	9.40
04.	Duration of Sampling	Hr.	8.00	8.00	8.00
05.	Dominant Wind Direction (From)	----	W	WSW	WSW
06.	Average Wind Speed	Km/Hr.	5 to 15	5 to 15	4 to 12
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m ³	3000	3000	3000
10.	Measured Concentration of PM 10	µg/m ³	2468	2345	2531
11.	Permissible limits for SO ₂	µg/m ³	150	150	150
12.	Measured Concentration of SO ₂	µg/m ³	16.8	18.2	17.3
13.	Permissible limits for NO ₂	µg/m ³	120	120	120
14.	Measured Concentration of NO ₂	µg/m ³	24.9	25.7	24.2
15.	Permissible limit for CO **	µg/m ³	5000	5000	5000
16.	Measured Concentration of CO	µg/m ³	349	434	236

Instrument used : (1) Envirotech make 2 Nos. RDS (APM - 460 BL) (2) 2 Nos. Gaseous Sampling Kit (APM 411)

(3) Ecotech make Attachment of 2 Nos. PM 2.5 Sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014



Mamraj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :522/02/2013-14

Date: 02/03/2014

FUGITIVE EMISSION MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch


Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	A - 4	A - 5	A - 6
01.	Location of Ambient	---	Sinter 2 Ground Hopper	DISP "CCM" Area	Sinter 1 Main to PMD
02.	Date of sampling	---	06/02/2014	13/02/2014	06/02/2014
03.	Time of sampling	----	9.20	10.00	9.45
04.	Duration of Sampling	Hr.	8.00	8.00	8.00
05.	Dominant Wind Direction (From)	----	W.	WSW	W
06.	Average Wind Speed	Km/Hr.	4 to 12	4 to 16	4 to 16
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	3000	3000	3000
10.	Measured Concentration of PM 10	µg/m3	2036	1674	2248
11.	Permissible limits for SO2	µg/m3	150	150	150
12.	Measured Concentration of SO2	µg/m3	15.2	17.5	14.8
13.	Permissible limits for NO2	µg/m3	120	120	120
14.	Measured Concentration of NO2	µg/m3	21.7	26.4	23.6
15.	Permissible limit for CO **	µg/m3	5000	5000	5000
16.	Measured Concentration of CO	µg/m3	264	412	324

Instrument used : (1) Envirotech make 2 Nos. RDS (APM - 460 BL) (2) 2-Nos. Gaseous Sampling Kit (APM 411)

(3) Ecotech make Attachment of 2 Nos. PM 2.5 Sampler (AAS 127)

Calibration due on: (1) 05/05/2014 (2) 05/05/2014 (3) 04/05/2014





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 523/02/2013-14

Date: 02/03/2014

Bag Filter Efficiency Report

APCM Inlet

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6
01	Date of Sampling	---	19/02/2014	11/02/2014	09/02/2014	20/02/2014	20/02/2014	21/02/2014
02	Attached to		Zinc Coating -I	Common stack Mg Converter- I & II	Core Cleaning & Dusting-I	Barrel Grinding - I	Barrel Grinding - II	Sand Reclamation
03	Stack Height	Meter	30	30	30	30	30	32
04	Stack Diameter	Meter	0.488	0.584	0.588	0.584	0.584	---
05	Stack Temperature	°C	47	69	45	43	40	79
06	Ambient Temperature	°C	28	29	29	28	29	28
07	Average Velocity of Flue Gases	M/Sec.	14.8	16.7	14.2	15.4	14.6	15.7
08	IsoKinetic Flowrate for Sampling	LPM	26	27	25	27	26	25
09	Inlet	mg	1744	2415	1754	2574	1946	1838
10	Outlet	mg	16	58	31	46	41	47
11	Efficiency	%	99.08	97.60	98.23	98.21	97.89	97.44

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Munej
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 524/02/2013-14

Date: 02/03/2014

Bag Filter Efficiency Report

APCM Inlet

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 7	Stack No. 8	Stack No. 9	Stack No. 10	Stack No. 11	Stack No. 12	Stack No. 13
01	Date of Sampling	---	19/02/2014	19/02/2014	19/02/2014	11/02/2014	09/02/2014	07/02/2014	20/02/2014
02	Attached to	---	Zinc Coating - II	Zinc Coating-III	Zinc Coating -IV & V	Mg Converter - III	Core Cleaning & Dusting-II	Barrel Grinding-III	Barrel Grinding-IV & V
03	Stack Height	Meter	30	30	30	30	30	30	25
04	Stack Diameter	Meter	---	---	---	0.488	0.588	0.584	0.488
05	Stack Temperature	°C	44	42	49	57	45	54	47
06	Ambient Temperature	°C	29	29	30	29	29	28	29
07	Average Velocity of Flue Gases	M/Sec.	14.4	15.2	13.5	15.1	13.5	13.9	15.4
08	IsoKinetic Flowrate for Sampling	LPM	25	27	23	25	24	24	27
09	Inlet	mg	1718	1843	1584	1957	2110	1432	1893
10	Outlet	mg	18	17	14	53	50	43	56
11	Efficiency	%	98.95	99.08	99.12	97.29	97.63	97.00	97.04

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bai Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. :525/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Sinter Plant-I

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6
01	Date of Sampling	---	22/02/2014	22/02/2014	22/02/2014	Not Running During Visit	22/02/2014	22/02/2014
02	Time of sampling	---	9.15	10.35	11.45		14.30	15.40
03	Stack Attached to	---	Sinter Furnace	Discharge End	Fuel & Flux Crusher and Screening	Fuel & Flux Crushing House	Secondary Mixture House	Primary Mixture House
04	Air Pollution Control Measures	---	ESP	ESP	Bag Filter	Bag Filter	---	---
05	Stack Height	Meter	50	32.8	32.8	27.05	36.08	19.75
06	Stack Diameter	Meter	2.0	1.30	1.40	0.70	1.25	1.25
07	Stack Temperature	°C	151	145	46	---	52	81
08	Ambient Temperature	°C	28	29	30	---	30	30
09	Average Velocity of Flue Gases	M/Sec.	10.1	18.3	7.9	---	4.8	5.6
10	Isokinetic flow rate for P.M. Sampling	LPM	13	24	14	---	19	20
11	Gaseous Sampling Flow Rate	LPM	2.0	---	---	---	---	---
12	Permissible limits for PM	mg/Nm3	150	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm3	84	49	58.00	---	33	64
14	Permissible limits for SO2	ppm	100	NA	NA	NA	NA	NA
15	Measured Concentration of SO2	ppm	14.2	---	---	---	---	---
16	Permissible limits for NOx	ppm	50	NA	NA	NA	NA	NA
17	Measured Concentration of NOx	ppm	12.4	---	---	---	---	---

Note : Minimum Detectable Limit of SO2 & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 526/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Sinter Plant- II

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6	Stack No. 7
01	Date of Sampling	---	24/02/2014	24/02/2014	24/02/2014	23/02/2014	23/02/2014	24/02/2014	Not Running During Visit
02	Time of sampling	Hr.	9.30	10.45	11.50	9.15	10.20	14.45	
03	Stack Attached to	---	Sinter Furnace	Discharging End of sinter de-dusting system	Fuel crushing de-duster system (Flux)	Primary Mixer De-duster system	Secondary Mixer De-duster system	Fuel Screening deduster System (Flux Screening Stack)	Fuel crushing de-duster system(Fuel)
04	Air Pollution Control Measures	---	ESP	ESP	Dust Collector	Dust Collector	Dust Collector	Dust Collector	Dust Collector
05	Stack Height	Meter	50	50	30	30	30	30	30
06	Stack Diameter	Meter	2	1.3	0.7	1.25	1.25	0.7	0.7
07	Stack Temperature	°C	144	118	41	78	49	44	---
08	Ambient Temperature	°C	28	29	30	28	29	30	---
09	Average Velocity of Flue Gases	M/Sec.	13.2	14.5	7.2	5.2	4.3	4.8	---
10	Isokinetic flow rate for P.M. Sampling	LPM	18	21	13	19	17	19	---
11	Gaseous Sampling Flow Rate	LPM	2.0	---	---	---	---	---	---
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150	150	150
13	Measured Concentration of PM	mg/Nm ³	47	42	37	60	42	24	---
14	Permissible limits for SO ₂	ppm	100	NA	NA	NA	NA	NA	NA
15	Measured Concentration of SO ₂	ppm	13.8	---	---	---	---	---	---
16	Permissible limits for NO _x	ppm	50	NA	NA	NA	NA	NA	NA
17	Measured Concentration of NO _x	ppm	20.9	---	---	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

NA= Not Applicable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. :527/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

BLAST FURNACE-2

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4
01	Date of Sampling	---	12/02/2014	26/02/2014	26/02/2014	26/02/2014
02	Time of sampling	Hr.	11.10	9.10	10.15	11.30
03	Stack Attached to	---	Dedusting System	Stove Stack	Iron Ore fine & Dust Collecting System	Coke fine building dust collecting system
04	Air Pollution Control Measures	---	Bag Filter	---	Bag Filter	Bag Filter
05	Stack Height	Meter	40.0	65.0	30.0	30.0
06	Stack Diameter	Meter	1.484	2.250	0.650	---
07	Stack Temperature	°C	51	316	48	46
08	Ambient Temperature	°C	30	28	29	30
09	Average Velocity of Flue Gases	M/Sec.	6.1	5.9	11.3	10.2
10	Isokinetic flow rate for P.M. Sampling	LPM	24	13	20	18
11	Gaseous Sampling Flow Rate	LPM	---	---	---	---
12	Permissible limits for PM	mg/Nm ³	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	58	11	49	41
14	Permissible limits for SO ₂	mg/Nm ³	NA	NA	NA	NA
15	Measured Concentration of SO ₂	mg/Nm ³	---	---	---	---
16	Permissible limits for NO _x	mg/Nm ³	NA	NA	NA	NA
17	Measured Concentration of Nox	mg/Nm ³	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

**NA=Not Applicable

Instrument Used : Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Munoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 528/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

BLAST FURNACE-1 & PCI

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5
01	Date of Sampling	---	23/02/2014	23/02/2014	12/02/2014	25/02/2014	25/02/2014
02	Time of sampling	Hr.	14.30	15.45	10.00	9.15	10.45
03	Stack Attached to	---	Boiler - I	Boiler - II	Dedusting System	Stove Stack	Coal Pulverization
04	Air Pollution Control Measures	---	---	---	Bag Filter	---	Bag Filter
05	Stack Height	Meter	45	45	35.0	50.0	32.0
06	Stack Diameter	Meter	1.380	1.380	1.484	2.250	---
07	Stack Temperature	°C	172	167	58	326	47
08	Ambient Temperature	°C	30	30	29	28	29
09	Average Velocity of Flue Gases	M/Sec.	5.3	4.4	5.7	5.5	5.10
10	Isokinetic flow rate for P.M. Sampling	LPM	15	13	22	12	20
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	14	11	59	9	26.00
14	Permissible limits for SO ₂	mg/Nm ³	40	40	40	40	100 (ppm)
15	Measured Concentration of SO ₂	mg/Nm ³	4.8	4.5	N.D.	1.34	N.D.
16	Permissible limits for NO _x	mg/Nm ³	25	25	25	25	50 (ppm)
17	Measured Concentration of Nox	mg/Nm ³	7.9	7.6	N.D.	4.7	N.D.

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Mansoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 529/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Captive Power Plant

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 6	Stack No. 7	Stack No. 8	Stack No. 9
01	Date of Sampling	---	Not running during visit	Not running during visit	25/02/2014	25/02/2014
02	Time of sampling	Hr.			14.15	15.20
03	Stack Attached to	---	6000 KVA D.G.	3240 KVA D.G.	3240 KVA D.G.	1180 KVA D.G.
04	Air Pollution Control Measures	---	---	---	---	---
05	Stack Height	Meter	57.0	35	35	35
06	Stack Diameter	Meter	1.984	1.484	1.484	0.980
07	Stack Temperature	°C	---	---	154	135
08	Ambient Temperature	°C	---	---	29	29
09	Average Velocity of Flue Gases	M/Sec.	---	---	8.2	6.9
10	Isokinetic flow rate for P.M. Sampling	LPM	---	---	24	21
11	Gaseous Sampling Flow Rate	LPM	---	---	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	---	---	42	34
14	Permissible limits for SO ₂	ppm	100	100	100.0	100
15	Measured Concentration of SO ₂	ppm	---	---	22.6	20.9
16	Permissible limits for Nox	ppm	50	50	50.0	50
17	Measured Concentration of Nox	ppm	---	---	17.8	14.7

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Mumoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 530/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Pipe Complex

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6	Stack No. 7
01	Date of Sampling	---	---	---	---	---	26/02/2014	07/02/2014	07/02/2014
02	Time of sampling	Hr.	Not Running During Visit	Not Running During Visit	Not Running During Visit	Not Running During Visit	15.30	9.15	10.25
03	Stack Attached to	---	Shot Blasing - I	Shot Blasing - II	Shot Blasing - III	Bitumin Drying Oven - I	Common stack Bitumin Drying Oven - II & Boiler	Barrel Grinding - I	Barrel Grinding - II
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	Bag Filter	---	---	Bag Filter	Bag Filter
05	Stack Height	Meter	10.0	10.0	10.0	32.8	32.8	30	30
06	Stack Diameter	Meter	0.41	0.41	1.125	1.375	1.375	0.584	0.584
07	Stack Temperature	°C	---	---	---	---	157	47	45
08	Ambient Temperature	°C	---	---	---	---	29	29	30
09	Average Velocity of Flue Gases	M/Sec.	---	---	---	---	9.4	14.9	14.1
10	Isokinetic flow rate for P.M. Sampling	LPM	---	---	---	---	12	26	25
11	Gaseous Sampling Flow Rate	LPM	---	---	---	---	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150	150	150
13	Measured Concentration of PM	mg/Nm ³	---	---	---	---	86	51	57
14	Permissible limits for SO ₂	mg/Nm ³	40	40	40	100 ppm	100 ppm	40	40
15	Measured Concentration of SO ₂	mg/Nm ³	---	---	---	---	8.3	---	---
16	Permissible limits for Nox	mg/Nm ³	25	25	25	50 ppm	50 ppm	25	25
17	Measured Concentration of Nox	mg/Nm ³	---	---	---	---	11.2	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Mamraj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. :531/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Pipe Copmplex

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 8	Stack No. 9	Stack No. 10	Stack No. 11	Stack No. 12	Stack No. 13
01	Date of Sampling	---	11/02/2014	11/02/2014	06/02/2014	06/02/2014	06/02/2014	06/02/2014
02	Time of sampling	Hr.	14.45	15.40	10.00	11.15	14.15	15.30
03	Stack Attached to	---	Common stack Mg Converter- &II	Mg Converter -III	Zn Coating - I	Zn Coating - II	Zn Coating - III	Zn Coating - IV & V
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	Cyclone Separater & Bag Filter	Cyclone Separater & Bag Filter	Cyclone Separator & Bag Filter	Cyclone Separator & Bag Filter
05	Stack Height	Meter	30	30	30	30	30	30
06	Stack Diameter	Meter	0.488	0.488	0.584	0.584	0.584	0.850
07	Stack Temperature	°C	54	49	46	49	47	51
08	Ambient Temperature	°C	31	31	29	30	31	32
09	Average Velocity of Flue Gases	M/Sec.	15.2	10.7	13.4	14.2	15.3	9.5
10	Isokinetic flow rate for P.M. Sampling	LPM	26	19	23	25	27	17
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	---	---	---	---
12	Permissible limits for PM	mg/Nm ³	150	150	20 (Zn)	20 (Zn)	20 (Zn)	20 (Zn)
13	Measured Concentration of PM	mg/Nm ³	86	68	17 (Zn)	13 (Zn)	15 (Zn)	16 (Zn)
14	Permissible limits for SO ₂	mg/Nm ³	40	40	NA	NA	NA	NA
15	Measured Concentration of SO ₂	mg/Nm ³	N.D.	N.D.	---	---	---	---
16	Permissible limits for Nox	mg/Nm ³	25	25	NA	NA	NA	NA
17	Measured Concentration of Nox	mg/Nm ³	6.3	5.2	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

N.D.= Not Detectable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :532/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Pipe Complex

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 14	Stack No. 15	Stack No. 16	Stack No. 17	Stack No. 18	Stack No. 19
01	Date of Sampling	---	08/02/2014	08/02/2014	10/02/2014	10/02/2014	10/02/2014	10/02/2014
02	Time of sampling	Hr.	10.45	11.50	11.10	14.00	14.45	15.30
03	Stack Attached to	---	Core Cleaning & Dusting-I	Core Cleaning & Dusting-II	Core Shop-I	Core Shop-II	Core Shop-III	Core Shop-IV
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	---	---	---	---
05	Stack Height	Meter	30	30	30	30	30	30
06	Stack Diameter	Meter	0.588	0.59	0.584	0.584	0.584	0.584
07	Stack Temperature	°C	45	42	37	39	40	36
08	Ambient Temperature	°C	29	29	28	30	31	30
09	Average Velocity of Flue Gases	M/Sec.	13.8	14.7	4.8	6.2	5.5	5.9
10	Isokinetic flow rate for P.M. Sampling	LPM	24	26	20	25	22	24
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm3	150	150	150	150	150	150
13	Measured Concentration of PM	mg/Nm3	48	42	37	41	49	51
14	Permissible limits for SO2	mg/Nm3	40	40	40	40	40	40
15	Measured Concentration of SO2	mg/Nm3	6.2	5.1	N.D.	N.D.	N.D.	N.D.
16	Permissible limits for Nox	mg/Nm3	25	25	25	25	25	25
17	Measured Concentration of Nox	mg/Nm3	8.7	7.6	N.D.	N.D.	N.D.	N.D.

Note : Minimum Detectable Limit of SO2 & Nox is 0.1 and 0.01 ppm respectively.

N.D.= Not Detectable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Mamej
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. :533/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Pipe Complex

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 20	Stack No. 21	Stack No. 22	Stack No. 23	Stack No. 24	Stack No. 25
01	Date of Sampling	---	05/02/2014	05/02/2014	05/02/2014	07/02/2014	07/02/2014	10/02/2014
02	Time of sampling	Hr.	9.00	10.10	11.20	14.10	15.15	10.00
03	Stack Attached to	---	Annealing Furnace - I	Annealing Furnace - II	Annealing Furnace - III	Barrel Grinding-III	Barrel Grinding -IV&V	Sand Reclamation
04	Air Pollution Control Measures	---	---	---	---	Bag Filter	Bag Filter	Bag Filter
05	Stack Height	Meter	32	32	32	30	25	32
06	Stack Diameter	Meter	1.375	1.375	1.375	0.488	0.488	0.885
07	Stack Temperature	°C	126	149	157	48	44	56
08	Ambient Temperature	°C	28	28	29	31	30	29
09	Average Velocity of Flue Gases	M/Sec.	5.3	6.4	7.8	15.2	14.1	9.8
10	Isokinetic flow rate for P.M. Sampling	LPM	17	19	23	27	25	17
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm3	150	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm3	41	34	47	42	57	63
14	Permissible limits for SO2	mg/Nm3	100 (PPM)	100 (PPM)	100 (ppm)	40	40	40
15	Measured Concentration of SO2	mg/Nm3	4.7(PPM)	4.9(PPM)	5.2(PPM)	4.7	3.3	N.D.
16	Permissible limits for Nox	mg/Nm3	50 (PPM)	50 (PPM)	50 (PPM)	25	25	25
17	Measured Concentration of Nox	mg/Nm3	5.9 (PPM)	6.1 (PPM)	6.8 (PPM)	5.6	5.9	N.D.

Note : Minimum Detectable Limit of SO2 & Nox is 0.1 and 0.01 ppm respectively.

N.D= Not Detectable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

Royal Environment Auditing & Consultancy Service



Munej
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. :534/02/2013-14

Date: 02/03/2014

STACK EMISSION MONITORING RESULTS

Small Dia Ductile Iron Pipe Complex

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6
01	Date of Sampling	---	12/02/2014	12/02/2014	11/02/2014	---	11/02/2014	---
02	Time of sampling	Hr.	14.30	15.40	9.45	Not Running During Visit	10.50	Not In Operation
03	Stack Attached to	---	Annealing Furnace - I	Annealing Furnace - I	Magnesium Treatment	Socket Cleaning	Zinc Coating	Tri- Grinding Section
04	Air Pollution Control Measures	---	---	---	Bag Filter	Bag Filter	Bag Filter	Bag Filter
05	Stack Height	Meter	45	45	30	30	30	---
06	Stack Diameter	Meter	---	---	---	---	---	---
07	Stack Temperature	°C	134	145	42	---	39	---
08	Ambient Temperature	°C	29	30	29	---	30	---
09	Average Velocity of Flue Gases	M/Sec.	7.1	7.5	4.4	---	5.4	---
10	Isokinetic flow rate for P.M. Sampling	LPM	22	23	18	---	10	---
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	---	---	---	---
12	Permissible limits for PM	mg/Nm ³	50	50	50	50	50	50
13	Measured Concentration of PM,	mg/Nm ³	22	29	44	---	14 (Zn)	---
14	Permissible limits for SO ₂	PPM	100	100	NA	NA	NA	NA
15	Measured Concentration of SO ₂	PPM	12.4	13.7	---	---	---	---
16	Permissible limits for Nox	PPM	50	50	NA	NA	NA	NA
17	Measured Concentration of Nox	PPM	6.9	7.8	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit have calibration Due on : 05/05/2014

N.D= Not Detectable

Royal Environment Auditing & Consultancy Service



Memoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :536/02/2013-14

Date: 02/03/2014

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Date of sampling : 5th to 14th February,2014

Sr. No.	Location of Sampling	Results Avg. in dB(A)
01.	Inside Control Room of Sinter Plant	60.2
02.	Nr. Stock House of BF	69.8
03.	Inside Control Room of BF	61.5
04.	Inside Control Room of Blower House	62.2
05.	Inside Control of Cast House	65.3
06.	Inside Control Room of CPP	57.8
07.	Inside Control Room of Annealing Furnace of DISP	59.5
08.	Inside Laboratory of BF	58.6
09.	Inside Laboratory of DISP	60.5
10.	Inside ID & OD Control Room of JCO Plant	61.8
11.	Inside Control Room – Mill area of Spiral Plant-2	62.4
12.	Inside Spiral – 1	66.5
13.	Nr. Pipe cutting Area of Spiral Plant	72.4
14.	Inside JCO Plant	65.8
15.	Nr. JCO Press	67.3
16.	Inside DISP Plant	74.8
17.	Inside Coating Plant	71.2
18.	Nr. CCM SDP-II	72.6
19.	Inside Control Room of Annealing Furnace of SDP-II	61.8
20.	Inside New Coating Plant	70.9
21.	Inside Control Room of BF-2	62.7
22.	Inside Spiral-2	71.2
23.	Nr. Zinc Coating SDP-II	74.8
24.	Nr. Stock House of BF-2	70.6
25.	C/R Blower House of BF-2	71.8

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB,C-80 to 130 dB.

Recalibration is due on : 29/09/2014

Royal Environment Auditing & Consultancy Service



manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 537/02/2013-14

Date: 02/03/2014

AMBIENT NOISE LEVEL MEASUREMENT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Date of sampling : 5th to 14th February, 2014

Sr. No.	Location of Sampling	Results in dB(A) (Day Time)	Results in dB(A) (Night Time)
	Permissible Limits	75.0	70.0
01.	Nr. Admin. Building	60.4	57.5
02.	Nr. Old Colony	58.2	55.6
03.	Nr. LPG Yard	63.8	61.1
04.	Nr. Sinter Plant	71.9	68.5
05.	Nr. R. O. Plant	64.6	61.7
06.	Nr. Gate No. 2	72.2	69.5
07.	Nr. New Colony	60.9	57.4
08.	Nr. SDP-2	70.5	67.8
09.	Nr. BLAST FURNACE-2	73.5	71.9
10.	Nr. New Coating	69.8	65.6

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is due on : 29/09/2014

Royal Environment Auditing & Consultancy Service



Manoj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 538/02/2013-14

Date: 02/03/2014

REPORT OF DOMESTIC WASTE WATER ANALYSIS

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Source Of Sample Collection : Domestic Effluent After Treatment
Date of Sampling : 14/02/2014

Sr. No.	Parameters	Unit	GPCB limits	STP Inlet	STP Outlet
01.	pH	pH Unit	----	7.60	7.21
02.	BOD (3 Days at 27°C)	mg/l	<20	164	14
03.	Suspended Solids	mg/l	<30	137	24
04.	Residual Chlorine	mg/l	Min. 0.5	----	0.35

Royal Environment Auditing & Consultancy Service



Manoj
Analyst

Form No. 37
(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).

- 1 Name of the Department/Plant.: **Sinter, BF, DISP, JCO & Coating Units at Jindal Saw Limited, Samaghogha.**
- 2 Raw materials, by products and finished products involved in the process, **TOTAL DUST**
- 3 Particulars of sampling

Date of Sampling : 5th to 14th February, 2014

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration (As given in Second Schedule)	Refrance Method	Number of workers exposed at the location being monitored	Remark	Signature person taking samples	Name (in block letters)
				Number of sample	Range	Average	mg/m3					
1	Spiral Plant Nr. ID/OD	Total Dust	Personal Respirable Dust sampler APM 800	02	3.5-4.5	4.00	10	Gravimetric	8	---	<i>Manoj</i>	Mr. Manoj Sonrat
2	JCO Plant Nr. JCO Press	Total Dust		02	4-5	4.50	10	Gravimetric	9	---		
3	Sinter Plant At First Floor	Total Dust		02	3-4.5	3.75	10	Gravimetric	8	---		
4	BF Plant (Cast House)	CO		02	1-2.5	1.75	2	Gravimetric	6	---		
		Total Dust			3.5-5	4.3	10					
5	Coating Plant-1 (Blasting Area)	Total Dust		02	4-5	4.5	10	Gravimetric	8	---		
6	DISP Plant Main Entrance	Total Dust		02	4-5.5	4.8	10	Gravimetric	7	---		
7	Spiral Plant -2 Nr. ID/OD	Total Dust		02	3.5-4.5	4.0	10	Gravimetric	7	---		
8	Coating Plant-2 (Blasting Area)	Total Dust		02	4.5-5	4.8	10	Gravimetric	9	---		
9	Coating Plant-3 (Blasting Area)	Total Dust		02	4.5-6	5.3	10	Gravimetric	7	---		
10	Small Dia Ductile Iron pipe	Total Dust	02	5.5-6.5	6.0	10	Gravimetric	9	---			

Instruments used : Envirotech make personal sampler, Model No. APM 800

Calibration Date Due on : 02/12/2014

For: Royal Environment Auditing & Consultancy Service

Manoj
Authorized Sign