



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : ST/345
Job Identification. : 2088/17-18
Date : 26-06-2017
Issued To : M/S Jindal Saw Limited (Pellet Plant)
Iron Ore Pellet Unit, Khasra No. 6711, 9697/6711 Village Pur P.O. Pur
Tehsil Bhilwara
District : Bhilwara- 311802 (Rajasthan)
Type of Unit : Pellet unit
Type of Sample : Stack Emission Level
Date of Sample Collection/Monitoring : 17-06-2017
Date of Sample Receipt : 21-06-2017
Date of Test : 21-06-2017 to 24-06-2017
Sample Collected By : Parsa Ram Kudi
Point of Collection : Rotry Kiln Stack

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Particulate matter [mg/Nm ³]	39.39	IS 11255 (Part 1):1985 Reaffirmed 2014

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purnima Yogi
Senior Analyst

Rajesh Maheshwan
Authorized Signatory
(Report No: ST/345)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : ST/346
Job Identification. : 2089/17-18
Date : 26-06-2017
Issued To : M/S Jindal Saw Limited (Pellet Plant)
Iron Ore Pellet Unit, Khasra No. 6711, 9697/6711 Village Pur P.O. Pur
Tehsil Bhilwara
District : Bhilwara- 311802 (Rajasthan)
Type of Unit : Pellet unit
Type of Sample : Stack Emission Level
Date of Sample Collection/Monitoring : 17-06-2017
Date of Sample Receipt : 21-06-2017
Date of Test : 21-06-2017 to 24-06-2017
Sample Collected By : Parsa Ram Kudl
Point of Collection : Coal Mill Stack

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Particulate matter [mg/Nm ³]	30.44	IS 11255 (Part 1):1985 Reaffirmed 2014

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Purni Mal Yogi
Senior Analyst


Rajesh Maheshwari
Authorized Signatory
(Report No: ST/346)



TEAM TEST HOUSE
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. :	ST/347
Job Identification:	2090/17-18
Date :	24-06-2017
Issued to	M/s. Jindal Saw Limited Iron Ore Pellet Unit, Khasra No.6711,9696/6711 Village -Pur, District Bhilwara (Rajasthan) Pellet Plant
Type of Unit	
Type of Sample :	DG Stack Monitoring
Date of Sample Collection/ Monitoring:	17-06-2017
Date of Sample Receipt :	20-06-2017
Date of Test :	20-06-2017 to 24-06-2017
Sample Collected by :	Parsa Ram Kudi
Point of Collection :	D.G. Set 563 KVA (Magna Max)

RESULTS

S. No	Parameters	Unit	Observed Value	Testing Protocol
1.	Particulate Matter	g/kw-hr	0.15	IS:11255 (Part-1):1985
2.	Oxides of Nitrogen as NO ₂	g/kw-hr	1.62	IS:11255 (Part-7) :2005
3.	Carbon monoxide as CO	g/kw-hr	0.19	IS:5182 (Part-10): 1999
4.	Sulphur Dioxide as SO ₂	g/kw-hr	BDL(<0.02)	IS:11255 (Part-2):1985
5.	Hydrocarbon as HC	g/kw-hr	0.03	IS:5182 (Part-21):2001

Note: -

1. The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
2. This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
3. The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mal Yogi
Senior Analyst


Rajesh Maheshwan
Authorized Signatory
(Report No: ST/347)



TEAM TEST HOUSE
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No. : ST/348
Job Identification: 2091/17-18
Date : 24-06-2017
Issued to M/s. Jindal Saw Limited
Iron Ore Pellet Unit, Khasra No.6711,9696/6711
Village -Pur, District Bhilwara (Rajasthan)
Type of Unit Pellet Plant
Type of Sample : **DG Stack Monitoring**
Date of Sample Collection/ Monitoring: 17-06-2017
Date of Sample Receipt : 20-06-2017
Date of Test : 20-06-2017 to 24-06-2017
Sample Collected by : Parsa Ram Kudi
Point of Collection : D.G. Set 750 KVA (Kirloskar)

RESULTS

S. No	Parameters	Unit	Observed Value	Testing Protocol
1.	Particulate Matter	g/kw-hr	0.17	IS:11255 (Part-1): 1985
2.	Oxides of Nitrogen as NO ₂	g/kw-hr	2.36	IS:11255 (Part-7):2005
3.	Carbon monoxide as CO	g/kw-hr	0.43	IS:5182 (Part-10):1999
4.	Sulphur Dioxide as SO ₂	g/kw-hr	BDL(<0.02)	IS:11255 (Part-2):1985
5.	Hydrocarbon as HC	g/kw-hr	0.16	IS:5182 (Part-21):2001

Note: -

1. The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
2. This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
3. The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purnan Mal Yogi
Senior Analyst

Rajesh Maheshwar
Authorized Signatory
(Report No: ST/348)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No:	A/714
Job Identification :	1996/16-17
Date:	04/07/2017
Issued to	M/s. Jindal Saw Limited
	Iron Ore Pellet Unit, Khasra No.6711,9697/6711
	Village -Pur, District Bhilwara (Rajasthan)
Type of Unit	Pellet Plant
Type of Monitoring:	Ambient Air Quality Monitoring
Date of Sample Collection/ Monitoring:	08/06/2017
Date of Receipt:	15/06/2017
Date of Test:	15/06/2017 to 30/06/2017
Sample Collected By:	Parsa Ram Kudi
Point of Collection	Near Tiranga House

RESULTS

S. No.	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1.	Ammonia [microgram/m ³]	10.6	CPCB Guidelines	400.00
2.	Benzene [microgram/m ³]	BDL(<1.0)	IS 5182 (Part 11) : 2006	5.00
3.	Carbon Monoxide [microgram/m ³]	390	IS 5182 (Part 10) : 1999	4000
4.	Lead [microgram/m ³]	0.13	IS 5182 (Part 22) : 2004	1.00
5.	Nitrogen Dioxide [microgram/m ³]	15.95	IS 5182 (Part 6) : 2006	80.00
6.	Ozone [microgram/m ³]	BDL(<2.0)	APHA 1977, Part 819	100.00
7.	Particulate Matter (PM2.5) [microgram/m ³]	36.65	CPCB Guidelines	60.00
8.	Sulphur Dioxide [microgram/m ³]	8.99	IS 5182 (Part 2) : 2001	80.00
9.	Particulate Matter (PM10) [microgram/m ³]	75.31	IS 5182 (Part 23)	100.00
10.	Benzo-alfa-Pyrene [ng/m ³]	BDL(<2.0)	CPCB Guidelines	1.00
11.	Arsenic [ng/m ³]	BDL(<2.0)	IS 5182 (Part 22) : 2004	6.00
12.	Nickel [ng/m ³]	8.7	IS 5182 (Part 22) : 2004	20.00

Notes: -

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mai
Puran Mai Yogi
Senior Analyst

Rajesh
Rajesh Maheshwan
Authorized Signatory
(Report No A/714)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph : 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No:	A/715
Job Identification :	1997/17-18
Date:	04/07/2017
Issued to	M/s. Jindal Saw Limited
	Iron Ore Pellet Unit, Khasra No.6711,9697/6711
	Village -Pur, District, Bhilwara (Rajasthan)
Type of Unit	Pellet Plant
Type of Monitoring:	Ambient Air Quality Monitoring
Date of Sample Collection/ Monitoring:	08/06/2017
Date of Receipt:	15/06/2017
Date of Test:	15/06/2017 to 30/06/2017
Sample Collected By:	Parsa Ram Kudi
Point of Collection	Near Switch Yard

RESULTS

S. No.	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1.	Ammonia [microgram/m ³]	13.5	CPCB Guidelines	400.00
2.	Benzene [microgram/m ³]	BDL(<1.0)	IS 5182 (Part 11) : 2006	5.00
3.	Carbon Monoxide [microgram/m ³]	460	IS 5182 (Part 10) : 1999	4000
4.	Lead [microgram/m ³]	0.25	IS 5182 (Part 22) : 2004	1.00
5.	Nitrogen Dioxide [microgram/m ³]	15.42	IS 5182 (Part 6) : 2006	80.00
6.	Ozone [microgram/m ³]	BDL(<2.0)	APHA 1977, Part 819	100.00
7.	Particulate Matter (PM2.5) [microgram/m ³]	35.29	CPCB Guidelines	60.00
8.	Sulphur Dioxide [microgram/m ³]	8.72	IS 5182 (Part 2) : 2001	80.00
9.	Particulate Matter (PM10) [microgram/m ³]	84.28	IS 5182 (Part 23)	100.00
10.	Benzo-alfa-Pyrene [ng/m ³]	BDL(<2.0)	CPCB Guidelines	1.00
11.	Arsenic [ng/m ³]	BDL(<2.0)	IS 5182 (Part 22) : 2004	6.00
12.	Nickel [ng/m ³]	15.7	IS 5182 (Part 22) : 2004	20.00

Notes: -

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puraga
Puran Mahayogi
Senior Analyst

Rajesh
Rajesh Maheshwan
Authorized Signatory
(Report No A/715)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab : G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph : 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No:	A/716
Job Identification :	1998/17-18
Date:	04/07/2017
Issued to	M/s. Jindal Saw Limited Iron Ore Pellet Unit, Khasra No.6711,9697/6711 Village -Pur, District Bhilwara (Rajasthan)
Type of Unit	Pellet Plant
Type of Monitoring:	Ambient Air Quality Monitoring
Date of Sample Collection/ Monitoring:	08/06/2017
Date of Receipt:	15/06/2017
Date of Test:	15/06/2017 to 30/06/2017
Sample Collected By:	Parsa Ram Kudi
Point of Collection	Near Staff Canteen

RESULTS

S. No.	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1.	Ammonia [microgram/m ³]	11.2	CPCB Guidelines	400.00
2.	Benzene [microgram/m ³]	BDL(<1.0)	IS 5182 (Part 11) : 2006	5.00
3.	Carbon Monoxide [microgram/m ³]	330	IS 5182 (Part 10) : 1999	4000
4.	Lead [microgram/m ³]	0.12	IS 5182 (Part 22) : 2004	1.00
5.	Nitrogen Dioxide [microgram/m ³]	14.89	IS 5182 (Part 6) : 2006	80.00
6.	Ozone [microgram/m ³]	BDL(<2.0)	APHA 1977, Part 819	100.00
7.	Particulate Matter (PM2.5) [microgram/m ³]	29.95	CPCB Guidelines	60.00
8.	Sulphur Dioxide [microgram/m ³]	7.51	IS 5182 (Part 2) : 2001	80.00
9.	Particulate Matter (PM10) [microgram/m ³]	72.78	IS 5182 (Part 23)	100.00
10.	Benzo-alfa-Pyrene [ng/m ³]	BDL(<2.0)	CPCB Guidelines	1.00
11.	Arsenic [ng/m ³]	BDL(<2.0)	IS 5182 (Part 22) : 2004	6.00
12.	Nickel [ng/m ³]	8.91	IS 5182 (Part 22) : 2004	20.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purnan Mahayogi
Senior Analyst

Rajesh Maheshwari
Authorized Signatory
(Report No A/716)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2389980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No: A/717
Job Identification : 1999/17-18
Date: 04/07/2017
Issued to: M/s. Jindal Saw Limited
Iron Ore Pellet Unit, Khasra No.6711,9697/6711
Village -Pur, District Bhilwara (Rajasthan)
Pellet Plant
Type of Unit: Ambient Air Quality Monitoring
Type of Monitoring: Ambient Air Quality Monitoring
Date of Sample Collection/ Monitoring: 09/06/2017
Date of Receipt: 15/06/2017
Date of Test: 15/06/2017 to 30/06/2017
Sample Collected By: Parsa Ram Kudi
Point of Collection: Near BFN Plant B

RESULTS

S. No.	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1.	Ammonia [microgram/m ³]	15.3	CPCB Guidelines	400.00
2.	Benzene [microgram/m ³]	BDL(<1.0)	IS 5182 (Part 11) : 2006	5.00
3.	Carbon Monoxide [microgram/m ³]	360	IS 5182 (Part 10) : 1999	4000
4.	Lead [microgram/m ³]	0.27	IS 5182 (Part 22) : 2004	1.00
5.	Nitrogen Dioxide [microgram/m ³]	14.87	IS 5182 (Part 6) : 2006	80.00
6.	Ozone [microgram/m ³]	BDL(<2.0)	APHA 1977, Part 819	100.00
7.	Particulate Matter (PM2.5) [microgram/m ³]	36.45	CPCB Guidelines	60.00
8.	Sulphur Dioxide [microgram/m ³]	8.56	IS 5182 (Part 2) : 2001	80.00
9.	Particulate Matter (PM10) [microgram/m ³]	87.78	IS 5182 (Part 23)	100.00
10.	Benzo-alpha-Pyrene [ng/m ³]	BDL(<2.0)	CPCB Guidelines	1.00
11.	Arsenic [ng/m ³]	BDL(<2.0)	IS 5182 (Part 22) : 2004	6.00
12.	Nickel [ng/m ³]	14.2	IS 5182 (Part 22) : 2004	20.00

Notes: -

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Ruran Mal Yogi
Senior Analyst


Rajesh Maneshwari
Authorized Signatory
(Report No A/717)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



T-1763, T-2276

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No : WW/NABL/279
 Date : 19-06-2017
 Issued to : M/s. Jindal Saw Limited
 Iron Ore Pellet Unit, Khasra No.6711,9696/6711
 Village -Pur, District Bhilwara (Rajasthan)
 Type of Unit : STP Plant (15KLD)
 Type of Sample : Waste Water
 Date of Sample Collection : 09-06-2017
 Date of sample receipt : 10-06-2017
 Date of Test : 10-06-2017 to 19-06-2017
 Sample Collected By : Satyendra Kumar
 Sampling Location : STP Outlet

RESULTS

S. No	Parameters	Observed Value	Testing Protocol
1.	pH	7.66	APHA 2012 : 4500 H+B
2.	Total Suspended Solids mg/l	42	APHA 2012 : 2540 E
3.	Oil & Grease mg/l	3.0	APHA 2012 : 5520 B
4.	Biochemical Oxygen Demand (3 days at 27°C) mg/l	21.3	APHA 2012 : 5210 B
5.	Chemical Oxygen Demand mg/l	80.91	APHA 2012 : 5220 C
6.	Total Kjeldahl Nitrogen mg/l	22.61	APHA 2012 4500-Norg B
7.	Ammonical Nitrogen mg/l	10.85	APHA 2012 :4500NH3 C
8.	Sulphide [mg/l]	0.50	APHA 2012 : 4500 -S2-F
9.	Total Residual Chlorine [mg/l]	BDL(<0.1)	APHA 2012 : 4500 CI B
10.	Chloride as Cl [mg/l]	315.26	APHA 2012 :4500 CI

Note: -

- The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puranga
Puran Maheshwari
Senior Analyst

Rajesh
Rajesh Maheshwari
Authorized Signatory
(Report No: WW/NABL/279)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No	N/289
Date	24/06/2017
Issued to	M/s. Jindal Saw Limited Iron Ore Pellet Unit, Khasra No.6711,9696/6711 Villagr -Pur, District Bhilwara (Rajasthan)
Type of Unit	Pellet Plant
Date of Monitoring	08/06/2017 to 09/06/2017
Date of Sample Receipt	20/06/2017
Date of Test	20/06/2017
Sample Collected by	Parsa Ram Kudi
Type of Monitoring	Ambient Noise Level Monitoring

RESULTS

Sr. No.	Point Of Monitoring	Type of Area	Observed value [Leq dB (A)] Day Time	Observed value [Leq dB (A)] Night Time
1.	Nr Nitrogen Plant	Industrial Area	68.7	60.2
2.	Nr. Cooler Area	Industrial Area	71.5	63.4
3	Nr. DG Room	Industrial Area	70.3	62.3
4	Nr. Propooptioning & HPGR Building	Industrial Area	72.5	64.7
5	Nr. Balling Disc	Industrial Area	73.2	65.4

Standard Limits [in dB (A)] Leq:

Category of Area/ Zone	Day Time	Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Note: -

- The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Pufan
Pufan Mai Yogi
Senior Analyst

Rajesh
Rajesh Maheshwan
Authorized Signatory
(Report No.: - N/289)