



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranjan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502519400002888F	Date :	22-10-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	10-10-2019
Point of Collection :	Lampiya Village (Laxmanlal Regar) (74°39'31"N,25°27'31"E)	Date of Receipt :	16-10-2019
Date of Test/Analysis :	16-10-2019 to 22-10-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	180	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	14.98	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	211.84	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	22.23	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.08	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	50.23	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran Mal Yogi*  
**Puran Mal Yogi**  
Senior Analyst

*K.N. Mukhonhadyay*  
**K.N. Mukhonhadyay**  
Authorized Signatory  
(Report No: TC502519400002888F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502519400002887F	Date :	22-10-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	10-10-2019
Point of Collection :	Kamalpura Village [74°38'44"N 25°28'18"E]	Date of Receipt :	16-10-2019
Date of Test/Analysis :	16-10-2019 to 22-10-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	210	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	10.13	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	180.14	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	28.99	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.59	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	66.39	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran Mal Yogi*  
Senior Analyst

*K.N. Mukhobhadray*

Authorized Signatory  
(Report No: TC502519400002887F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502519400002886F	Date :	22-10-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	11-10-2019
Point of Collection :	Devpura Village (Shri Narayan Lal Ji House) [74°37'56"N, 25°26'53"E]	Date of Receipt :	16-10-2019
Date of Test/Analysis :	16-10-2019 to 22-10-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	220	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.43	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	218.68	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	27.34	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.3	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	62.67	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

### Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

**Puran Mal Yogi**  
Senior Analyst

**K.N. Mukhophadyay**

Authorized Signatory  
(Report No: TC502519400002886F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No.:	TC502519400002885F	Date :	22-10-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	11-10-2019
Point of Collection :	Jaliya Village (Ramji Lal House) [74°38'26"N,25°26'31"E]	Date of Receipt :	16-10-2019
Date of Test/Analysis :	16-10-2019 to 22-10-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	250	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.76	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	186.78	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	26.61	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	7.57	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	66.13	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

### Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Purah Mal Yogi  
Senior Analyst

K.N. Mukhophadyay  
Authorized Signatory  
(Report No: TC502519400002885F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT


Report No./ULR No. :	TC502519400003031F	Date :	05-11-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	22-10-2019
Point of Collection :	Lampiya Village (Laxmanlal Regar) (74°39'31"N,25°27'31"E)	Date of Receipt :	25-10-2019
Date of Test/Analysis :	25-10-2019 to 05-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	220	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	10.76	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	203.5	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	24.91	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	7.15	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	69.25	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

### Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
**Puran Mal Yogi**  
Senior Analyst

  
**Rajesh Maheshwari**  
Authorized Signatory  
(Report No: TC502519400003031F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No.:	TC502519400003030F	Date :	05-11-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	22-10-2019
Point of Collection :	Kamalpura Village [74°38'44"N 25°28'18"E]	Date of Receipt :	25-10-2019
Date of Test/Analysis :	25-10-2019 to 05-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	150	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	9.43	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	166.89	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	23.78	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.14	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	60.48	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

### Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Purnan MakYogi

Senior Analyst

  
Raiesh Maheshwari

Authorized Signatory

(Report No: TC502519400003030F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502519400003029F	Date :	05-11-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	23-10-2019
Point of Collection :	Devpura Village (Shri Narayan Lal Ji House) [74°37'56"N, 25°26'53"E]	Date of Receipt :	25-10-2019
Date of Test/Analysis :	25-10-2019 to 05-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	190	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.31	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	138.75	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	26.79	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	4.63	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	64.48	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Purnan Mal Yogi  
Senior Analyst

  
Rajesh Maheshwari  
Authorized Signatory

(Report No: TC502519400003029F )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No./ULR No.:	TC502519400003028F	Date :	05-11-2019
Issued To :	M/S Jindal Saw Limited (Lampiya Mines) ML No. 627/05, Village : Lampiya Tehsil : Banera,, District : Bhilwara- 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	23-10-2019
Point of Collection :	Jaliya Village (Ramji Lal House) [74°38'26"N,25°26'31"E]	Date of Receipt :	25-10-2019
Date of Test/Analysis :	25-10-2019 to 05-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	140	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	9.91	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	173.38	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	27.11	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.3	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	73.27	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

### Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi

Senior Analyst

Rajesh Maheshwari

Authorized Signatory

(Report No: TC502519400003028F )