



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT


Report No./ULR No. :	TC502519400003177F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhitwara, District-Bhitwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	14-11-2019
Point of Collection :	Near Tiranga Pit (74*32'07"N 29*19'03"E]	Date of Receipt :	20-11-2019
Date of Test/Analysis :	20-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing


RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	230	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.16	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	181.87	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	25.09	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	4.93	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	67.48	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


180A/181/MA/18/10/1
Senior Analyst


K.N. Mukhopadhyay
Authorized Signatory

(Report No: TC502519400003177F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400003180F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	15-11-2019
Point of Collection :	Samodi Village (74°32'42" N 25°20'02"E]	Date of Receipt :	20-11-2019
Date of Test/Analysis :	20-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	240	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.7	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	191.4	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	37.2	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.24	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	67.14	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi
Senior Analyst

K.N. Mukhophadyay
Authorized Signatory
(Report No: TC502519400003180F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400003178F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajai No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	14-11-2019
Point of Collection :	Dhulkhera Pit [74°34'31"N 25°23'37"E]	Date of Receipt :	20-11-2019
Date of Test/Analysis :	20-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing


RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	240	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	12.08	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	334.18	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	33.61	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	6.08	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	78.16	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mal Yogi
Senior Analyst


K.N. Mukhonnadyay
Authorized Signatory
(Report No: TC502519400003178F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400003179F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	15-11-2019
Point of Collection :	Suras Pit (74°34'11"N,25°23'24"E)	Date of Receipt :	20-11-2019
Date of Test/Analysis :	20-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing


RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	230	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.08	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	239.55	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	32.38	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.59	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	79.64	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mal Yogi
Senior Analyst


K.N. Mukhonbadva

Authorized Signatory
(Report No: TC502519400003179F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400003186F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	20-11-2019
Point of Collection :	Near Tiranga Pit (74*32'20"N 25*19'31"E)	Date of Receipt :	22-11-2019
Date of Test/Analysis :	22-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	310	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	17.24	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	342	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	42.58	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	8.55	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	85.29	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mal Yogi
Senior Analyst


K.N. Mukhophadyay
Authorized Signatory

(Report No: TC502519400003186F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT


Report No./ULR No. :	TC502519400003187F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	20-11-2019
Point of Collection :	Samodi Village (74°32'57"N 25°20'53"E)	Date of Receipt :	22-11-2019
Date of Test/Analysis :	22-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	220	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	13.5	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	167	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	27.45	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	5.26	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	73.47	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mal Yogi
Senior Analyst


K.N. Mukhophadyay
Authorized Signatory

(Report No: TC502519400003187F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400003188F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	18-11-2019
Point of Collection :	Dhulkhera Pit (74°34'26"N 25°23'32"E]	Date of Receipt :	22-11-2019
Date of Test/Analysis :	22-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m ³]	280	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO ₂ [microgram/m ³]	15.65	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m ³]	287	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM _{2.5}) [microgram/m ³]	38.45	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m ³]	7.31	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m ³]	87.36	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Purnan Mal Yogi
Senior Analyst



K.N. Mukhophadyay
Authorized Signatory

(Report No: TC502519400003188F)



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2015

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranjan Marg,
C-Scheme, Jaipur-302001
Phone : 0141-2369980, 2771865
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area
Tonk Road, JAIPUR-302022 Raj.
Ph.: 94602-22039, 94602-22049
E-mail : teamtesthouse@gmail.com
E-mail : director@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TC502519400003189F	Date :	26-11-2019
Issued To :	M/S Jindal Saw Limited (Dhedwas Mines) Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara, District-Bhilwara 311802 (Rajasthan),	Type of Unit :	Mines
Type of Sample :	Ambient Air Quality Monitoring	Date of Sample Collection/Monitoring :	19-11-2019
Point of Collection :	Suras Pit (74°34'11"N 25°23'24"E]	Date of Receipt :	22-11-2019
Date of Test/Analysis :	22-11-2019 to 26-11-2019	Sampling Plan :	IS 5182:2000(Part 14)RA 2014
Quantity of Sample :	-	Sample Collected By :	Parsa Ram Kudi
Unit's representative :	Shitanshu Pandey	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Carbon Monoxide [microgram/m3]	310	IS 5182 (Part 10) : 1999	4000
2	Nitrogen Dioxide as NO2 [microgram/m3]	16.31	IS 5182 (Part 6) : 2006 Reaffirmed 2012	80.00
3	Suspended Particulate Matter (SPM) [microgram/m3]	312	IS 5182 (Part 4) : 1999 Reaffirmed 2014	-
4	Particulate Matter (PM2.5) [microgram/m3]	41.23	CPCB Guidelines	60.00
5	Sulphur Dioxide [microgram/m3]	7.67	IS 5182 (Part 2) : 2001 Reaffirmed 2012	80.00
6	Particulate Matter (PM 10) [microgram/m3]	85.28	IS 5182 (Part 23)-2006 Reaffirmed 2012	100.00

Notes :-

- # Parameter No. 1,2,3,4,5,6 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Puran Mal Yogi
Senior Analyst


K.N. Mukhoohadyay
Authorized Signatory

(Report No: TC502519400003189F)