



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 174/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	06/03/2013	06/03/2013	06/03/2013
03.	Time of sampling	0	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	4 to 10	4 to 10	4 to 10
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	43	47	41
11.	Permissible limits for PM 2.5	µg/m³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	27	31	25
13.	Permissible limits for SO₂	µg/m³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.4	13.2	11.8
15.	Permissible limits for NO₂	µg/m³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	22.1	23.5	20.1
17.	Permissible limit for CO **	µg/m³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	229	256	241

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment

Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



M. Anand
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 175/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	07/03/2013	07/03/2013	07/03/2013
03.	Time of sampling	----	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	5 to10	5 to10	5 to10
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	44	50	40
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	29	30	24
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	12.8	13.5	12.1
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	21.8	23.2	20.5
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	233	273	249

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment

Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



Mand
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 176/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	13/03/2013	13/03/2013	13/03/2013
03.	Time of sampling	----	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	3 to 11	3 to 11	3 to 11
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	48	53	44
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	30	36	29
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	12.5	13.4	11.8
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	21.2	21.8	20.7
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	232	248	225

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment
Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



Mang
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivallik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 177/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	---	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	---	14/03/2013	14/03/2013	14/03/2013
03.	Time of sampling	---	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	2 to 10	2 to 10	2 to 10
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	49	51	46
11.	Permissible limits for PM 2.5	µg/m³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	32	34	27
13.	Permissible limits for SO₂	µg/m³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.3	13.1	11.4
15.	Permissible limits for NO₂	µg/m³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	20.8	21.4	20.1
17.	Permissible limit for CO **	µg/m³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	229	255	212

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment

Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



Mandy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 178/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	---	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	---	20/03/2013	20/03/2013	20/03/2013
03.	Time of sampling	---	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	---	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	4 to 12	4 to 12	4 to 12
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	47	52	45
11.	Permissible limits for PM 2.5	µg/m³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	30	35	26
13.	Permissible limits for SO₂	µg/m³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.7	13.0	12.3
15.	Permissible limits for NO₂	µg/m³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	21.2	22.0	20.7
17.	Permissible limit for CO **	µg/m³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	243	267	230

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment
Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



Mandy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 179/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	---	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	---	21/03/2013	21/03/2013	21/03/2013
03.	Time of sampling	---	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	---	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	3 to 11	3 to 11	3 to 11
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m³	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	46	51	43
11.	Permissible limits for PM 2.5	µg/m³	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	32	37	28
13.	Permissible limits for SO₂	µg/m³	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.5	12.7	12.2
15.	Permissible limits for NO₂	µg/m³	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	21.5	22.3	21.1
17.	Permissible limit for CO **	µg/m³	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	249	275	237.0

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment
Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



Mandy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 180/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	----	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	----	27/03/2013	27/03/2013	27/03/2013
03.	Time of sampling	----	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	5 to 12	5 to 12	5 to 12
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	44	54	41
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	29	33	26
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	12.4	13.2	12.0
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	22.3	23.1	21.1
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	236	268	228.0

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment
Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



M. Anand
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 181/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	NAAQMS - 1	NAAQMS - 2	NAAQMS - 3
01.	Location of Ambient	---	Main Gate (S)	Sinter Plant - 1 (NNW)	Nr. Workshop Spiral - II (W)
02.	Date of sampling	---	28/03/2013	28/03/2013	28/03/2013
03.	Time of sampling	----	9.00	9.30	10.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	4 to 11	4 to 11	4 to 11
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	100	100	100
10.	Measured Concentration of PM 10	µg/m3	46	55	42
11.	Permissible limits for PM 2.5	µg/m3	60	60	60
12.	Measured Concentration of PM 2.5	µg/m3	33	35	29
13.	Permissible limits for SO2	µg/m3	80	80	80
14.	Measured Concentration of SO2	µg/m3	12.8	13.4	11.7
15.	Permissible limits for NO2	µg/m3	80	80	80
16.	Measured Concentration of NO2	µg/m3	22.0	23.8	21.2
17.	Permissible limit for CO **	µg/m3	2000	2000	2000
18.	Measured Concentration of CO	µg/m3	234	255	227.0

Instrument Used: 1) Combo Sampler AAS 271 & Gaseous Sampling Attachment AAS 109

2) 2 Nos. Ecotach make Respirable Dust Sampler Model No. AAS 217 BL, PM 2.5 & PM 10 Sampler AAS 127, Gaseous Sampling Attachment
Calibration is due on: 1) 22/04/2013 2) 03/07/2013

Royal Environment Auditing & Consultancy Service



Mand
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalki-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 182/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	AAQM - 1 (S)	AAQM - 2 (SSW)	AAQM - 3 (WSW)	AAQM - 4 (NW)
01.	Location of Ambient	----	Old Colony (Nr. Environment Laboratory)	Nr. Rain Water Harvesting	LPG Yard (Nr. Water Reservoir)	Between Sinter - 2 & Spiral - 2
02.	Date of sampling	----	05/03/2013	06/03/2013	07/03/2013	08/03/2013
03.	Time of sampling	----	9.00	10.35	10.35	9.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	3 to 10	4 to 10	5 to 10	4 to 11
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	45	49	53	49
11.	Permissible limits for PM 2.5	µg/m ³	60	60	60	60
12.	Measured Concentration of PM 2.5	µg/m ³	27	28	26	31
13.	Permissible limits for SO₂	µg/m ³	80	80	80	80
14.	Measured Concentration of SO ₂	µg/m ³	11.4	12.2	12	11.8
15.	Permissible limits for NO₂	µg/m ³	80	80	80	80
16.	Measured Concentration of NO ₂	µg/m ³	20.0	21.2	21.5	20.2
17.	Permissible limit for CO **	µg/m ³	2000	2000	2000	2000
18.	Measured Concentration of CO	µg/m ³	220	200	238	250

Instrument used : 2 Nos of Envirotech make (RDS), and 2.5 Attachment Model No. APM - 460 BL, Gaseous Sampling Kit APM 411,
All are Calibration due on: 23/04/2013

Royal Environment Auditing & Consultancy Service



Mawj
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 183/03/2012-13

Date: 30/03/2013

AMBIENT AIR QUALITY MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	AAQM - 5 (NE)	AAQM - 6 (SE)	AAQM - 7 (SSE)	AAQM - 8 (E)
01.	Location of Ambient	---	Labour Colony	New Colony (Shopping Centre)	Admin Building	Weigh bridge
02.	Date of sampling	---	05/03/2013	06/03/2013	07/03/2013	08/03/2013
03.	Time of sampling	---	9.35	11.10	11.05	9.30
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	---	NW	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	3 to 10	4 to 10	5 to 10	4 to 11
07.	Average flow rate during sampling	m ³ /Hr.	1.0	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m ³	100	100	100	100
12.	Measured Concentration of PM 10	µg/m ³	53	56	55	50
11.	Permissible limits for PM 2.5	µg/m ³	60	60	60	60
10.	Measured Concentration of PM 2.5	µg/m ³	29	30	30	34
13.	Permissible limits for SOx	µg/m ³	80	80	80	80
14.	Measured Concentration of SOx	µg/m ³	12.1	13.1	13.5	12.6
15.	Permissible limits for Nox	µg/m ³	80	80	80	80
16.	Measured Concentration of NOx	µg/m ³	20.6	21.8	21.9	22.5
17.	Permissible limit for CO **	µg/m ³	2000	2000	2000	2000
18.	Measured Concentration of	µg/m ³	228	215	243	258

Instrument used : 2 Nos of Envirotech make (RDS), and 2.5 Attachment Model No. APM - 460 BL, Gaseous Sampling Kit APM 411,
All are Calibration due on: 23/04/2013

Royal Environment Auditing & Consultancy Service



Money
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Date: 30/03/2013

Ref. No. : 184/03/2012-13

FUGITIVE EMISSION MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	A - 1	A - 2	A - 3
01.	Location of Ambient	----	RMH Junction House	RMH Stock House	Sinter RMH Yard
02.	Date of sampling	---	08/03/2013	08/03/2013	09/03/2013
03.	Time of sampling	----	10.00	10.35	9.00
04.	Duration of Sampling	Hr.	8.00	8.00	8.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	4 ot 11	4 ot 11	5 to 12
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	3000	3000	3000
10.	Measured Concentration of PM 10	µg/m3	2145	2438	1892
11.	Permissible limits for SO2	µg/m3	150	150	150
12.	Measured Concentration of SO2	µg/m3	12.5	13.2	11.8
13.	Permissible limits for NO2	µg/m3	120	120	120
14.	Measured Concentration of NO2	µg/m3	23.3	23.0	22.8
15.	Permissible limit for CO **	µg/m3	5000	5000	5000
16.	Measured Concentration of CO	µg/m3	283	263	235

Instrument used : 2 Nos of Envirotech make (RDS), and 2.5 Attachment Model No. APM - 460 BL, Gaseous Sampling Kit APM 411,

All are Calibration due on: 23/04/2013

Royal Environment Auditing & Consultancy Service



Marek
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivallik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :185/03/2012-13

Date: 30/03/2013

FUGITIVE EMISSION MONITORING REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/4/6

Sr. No.	Particulars	Unit	A - 4	A - 5	A - 6
01.	Location of Ambient	---	Sinter 2 Ground Hopper	DISP	Sinter 1 Main to PMD
02.	Date of sampling	---	09/03/2013	10/03/2013	10/03/2013
03.	Time of sampling	----	9.35	9.00	9.35
04.	Duration of Sampling	Hr.	8.00	8.00	8.00
05.	Dominant Wind Direction (From)	----	NW	NW	NW
06.	Average Wind Speed	Km/Hr.	5 to 12	4 to 12	4 to 12
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10	µg/m3	3000	3000	3000
10.	Measured Concentration of PM 10	µg/m3	1045	1077	2258
11.	Permissible limits for SO2	µg/m3	150	150	150
12.	Measured Concentration of SO2	µg/m3	12.1	13.2	12.8
13.	Permissible limits for NO2	µg/m3	120	120	120
14.	Measured Concentration of NO2	µg/m3	22.9	22.1	23.8
15.	Permissible limit for CO **	µg/m3	5000	5000	5000
16.	Measured Concentration of CO	µg/m3	224	221	232

Instrument used : 2 Nos of Envirotech make (RDS),and 2.5 Attachment Model No. APM - 460 BL, Gaseous Sampling Kit APM 411,

All are Calibration due on: 23/04/2013

Royal Environment Auditing & Consultancy Service



M. Anand
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 186/03/2012-13

Date: 30/03/2013

Bag Filter Efficiency Report APCM Inlet

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6
01	Date of Sampling	---	07/03/2013	07/03/2013	07/03/2014	07/03/2013	07/03/2013	07/03/2013
02	Attached to		Zinc Coating -I	Mg Converter - I	Core Cleaning & Dusting-I	Barrel Grinding - I	Barrel Grinding - II	Sand Reclamation
03	Stack Height	Meter	30	30	30	30	30	32
04	Stack Diameter	Meter	0.488	0.584	0.588	0.584	0.584	---
05	Stack Temperature	°C	48	44	---	38	39	42
06	Ambient Temperature	°C	31	32	---	32	34	34
07	Average Velocity of Flue Gases	M/Sec.	4.5	6.8	---	10.5	12.4	12.8
08	Inlet	mg	1568	1135	---	1695	1595	1156
09	Outlet	mg	.16	38	---	52	50	48
10	Efficiency	%	98.98	96.65	---	96.93	96.87	95.85

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service

Mary
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivalk-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 187/03/2012-13

Date: 30/03/201

Bag Filter Efficiency Report APCM Inlet

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 7	Stack No. 8	Stack No. 9	Stack No. 10	Stack No. 11	Stack No. 12	Stack No. 13
01	Date of Sampling	---	08/03/2013	08/03/2013	08/03/2013	08/03/2013	09/03/2013	09/03/2013	09/03/2013
02	Attached to	---	Zinc Coating - II	Zinc Coating-III	Zinc Coating -IV & V	Mg Converter - II	Core Cleaning & Disting-II	Barrel Grinding-III	Barrel Grinding-IV & V
03	Stack Height	Meter	30	30	30	30	30	30	25
04	Stack Diameter	Meter	---	---	---	0.488	0.588	0.584	0.488
05	Stack Temperature	°C	46	---	47	50	47	42	45
06	Ambient Temperature	°C	34	---	34	32	32	34	34
07	Average Velocity of Flue Gases	M/Sec.	9.5	---	12	5.5	8.9	12.2	11.7
08	Inlet	mg	1598	---	1589	1235	1358	1625	1687
09	Outlet	mg	14	---	15	34	43	42	49
10	Efficiency	%	99.12	---	99.06	97.25	96.83	97.42	97.10


Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service

M. May
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivalk-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 188/03/2012-13

Date: 30/03/2013

STACK EMISSION MONITORING RESULTS Sinter Plant-I

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7


Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6
01	Date of Sampling	---	04/03/2013	04/03/2013	04/03/2013	04/03/2013	04/03/2013	04/03/2013
02	Time of sampling	---	10.00	10.50	Not Running During Visit	11.15	12.00	14.20
03	Stack Attached to	---	Sinter Furnace	Discharge End	Fuel & Flux Crusher and Screening	Fuel & Flux Crushing House	Secondary Mixture House	Primary Mixture House
04	Air Pollution Control Measures	---	ESP	ESP	Bag Filter	Bag Filter	---	---
05	Stack Height	Meter	50	32.8	32.8	27.05	36.08	19.75
06	Stack Diameter	Meter	2.0	1.30	1.40	0.70	1.25	1.25
07	Stack Temperature	°C	118	126	---	55	54	80
08	Ambient Temperature	°C	30	30	---	31	32	34
09	Average Velocity of Flue Gases	M/Sec.	10.2	6.4	---	5.5	5.7	6.1
10	Isokinetic flow rate for P.M. Sampling	LPM	15	20	---	21	22	22
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	---	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm3	150	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm3	40	44	---	43	39	42
14	Permissible limits for SO2	ppm	100	NA	NA	NA	NA	NA
15	Measured Concentration of SO2	ppm	12.1	---	---	---	---	---
16	Permissible limits for NOx	ppm	50	NA	NA	NA	NA	NA
17	Measured Concentration of NOx	ppm	6.2	---	---	---	---	---

Note : Minimum Detectable Limit of SO2 & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service



Mang
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 189/03/2012-13

Date: 30/03/2013

STACK EMISSION MONITORING RESULTS Sinter Plant- II

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5	Stack No. 6
01	Date of Sampling	---	04/03/2013	04/03/2013	04/03/2013	04/03/2013	05/03/2013	05/03/2013
02	Time of sampling	Hr.	15.00	15.50	16.30	17.15	10.10	Not Running During Visit
03	Stack Attached to	---	Sinter Furnace	Tail End Stack	Flux	Primary Mixer De-duster system	Secondary Mixer De-duster system	Fuel Screening deduster System (Screening Flux Stack)
04	Air Pollution Control Measures	---	ESP	ESP	Bag Filter	---	---	Dust Collector
05	Stack Height	Meter	50	50	30	30	30	30
06	Stack Diameter	Meter	2	1.3	0.7	1.25	1.25	---
07	Stack Temperature	°C	130	148	59	52	50	---
08	Ambient Temperature	°C	35	35	34	34	30	---
09	Average Velocity of Flue Gases	M/Sec.	7.2	7.8	5.5	6.3	6.1	---
10	Isokinetic flow rate for P.M. Sampling	LPM	23	23	21	25	24	---
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	2.0	---
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150	150
13	Measured Concentration of PM	mg/Nm ³	38	43	42	37	40	---
14	Permissible limits for SO ₂	ppm	100	NA	NA	NA	NA	NA
15	Measured Concentration of SO ₂	ppm	12.3	---	---	---	---	---
16	Permissible limits for NO _x	ppm	50	NA	NA	NA	NA	NA
17	Measured Concentration of NO _x	ppm	17.8	---	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.
Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I
Both Stack kit Recalibration is Due on : 21/04/2013

NA= Not Applicable

Royal Environment Auditing & Consultancy Service



Mary
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Date: 30/03/2013

Ref. No. : 190/03/2012-13

STACK EMISSION MONITORING RESULTS

BLAST FURNCE & PCI

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5
01	Date of Sampling	---	05/03/2013	05/03/2013	05/03/2013	05/03/2013	05/03/2013
02	Time of sampling	Hr.	11.00	11.45	12.30	14.15	Not Running During Visit
03	Stack Attached to	---	Boiler - I	Boiler - II	Dedusting System	Stove Stack	Coal Pulverization
04	Air Pollution Control Measures	---	---	---	Bag Filter	---	Bag Filter
05	Stack Height	Meter	45	45	35.0	50.0	32.00
06	Stack Diameter	Meter	1.380	1.380	1.484	2.250	---
07	Stack Temperature	°C	159	165	67	322	---
08	Ambient Temperature	°C	31	31	32	34	---
09	Average Velocity of Flue Gases	M/Sec.	7.1	7.2	6.3	7.9	---
10	Isokinetic flow rate for P.M. Sampling	LPM	21	21	23	17	---
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	---
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	4	6	40	3	---
14	Permissible limits for SO ₂	mg/Nm ³	40	40	40	40	100 (ppm)
15	Measured Concentration of SO ₂	mg/Nm ³	5.2	6.1	N.D.	N.D.	---
16	Permissible limits for NO _x	mg/Nm ³	25	25	25	25	50 (ppm)
17	Measured Concentration of Nox	mg/Nm ³	7.9	7.4	6.2	6.0	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service



Mang
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 191/03/2012-13

Date: 30/03/2013

STACK EMISSION MONITORING RESULTS Captive Power Plant

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 6	Stack No. 7	Stack No. 8	Stack No. 9
01	Date of Sampling	---	Not Running During Visit	Standby	Not Running During Visit	Standby
02	Time of sampling	Hr.				
03	Stack Attached to	---	6000 KVA D.G.	3240 KVA D.G.	3240 KVA D.G.	1180 KVA D.G.
04	Air Pollution Control Measures	---	---	---	---	---
05	Stack Height	Meter	57.0	35	35	35
06	Stack Diameter	Meter	1.984	1.484	1.484	0.980
07	Stack Temperature	°C	---	---	---	---
08	Ambient Temperature	°C	---	---	---	---
09	Average Velocity of Flue Gases	M/Sec.	---	---	---	---
10	Isokinetic flow rate for P.M. Sampling	LPM	---	---	---	---
11	Gaseous Sampling Flow Rate	LPM	---	---	---	---
12	Permissible limits for PM	mg/Nm ³	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	---	---	---	---
14	Permissible limits for SO ₂	ppm	100	100	100	100
15	Measured Concentration of SO ₂	ppm	---	---	---	---
16	Permissible limits for Nox	ppm	50	50	50	50
17	Measured Concentration of Nox	ppm	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Vayubodhan make - VSS I

Recalibration is Due on : 06/05/2012

Royal Environment Auditing & Consultancy Service



Mansy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivallik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 192/03/2012-13

Date: 30/03/2013

STACK EMISSION MONITORING RESULTS

Pipe Complex

Name of company : Jindal Saw Limited,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 1	Stack No. 2	Stack No. 3	Stack No. 4	Stack No. 5
01	Date of Sampling	---	05/03/2013	05/03/2013	05/03/2013	05/03/2013	05/03/2013
02	Time of sampling	Hr.	Not Running During Visit	15.30	Not Running During Visit	16.15	Not Running During Visit
03	Stack Attached to	---	Shot Blasing (Coating Plant)	Bitumin Drying Oven - I	Bitumin Drying Oven - II	Barrel Grinding - I	Barrel Grinding - II
04	Air Pollution Control Measures	---	Cyclone Seperator & Bag	---	---	Bag Filter	Bag Filter
05	Stack Height	Meter	---	32.8	32.8	30	30
06	Stack Diameter	Meter	41	1.375	1.375	0.584	0.584
07	Stack Temperature	°C	---	140	---	40	38
08	Ambient Temperature	°C	---	34	---	31	32
09	Average Velocity of Flue Gases	M/Sec.	---	11.3	---	12.1	13.2
10	Isokinetic flow rate for P.M. Sampling	LPM	---	6.1	---	8.6	9.5
11	Gaseous Sampling Flow Rate	LPM	---	2.00	---	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	---	42	---	52	50
14	Permissible limits for SO ₂	mg/Nm ³	40	100 pmm	100 pmm	40	40
15	Measured Concentration of SO ₂	mg/Nm ³	---	6.8	---	2.4	2.2
16	Permissible limits for Nox	mg/Nm ³	25	50 ppm	50 ppm	25	25
17	Measured Concentration of Nox	mg/Nm ³	---	9.9	---	5.4	5.0

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service



M. V. V.
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 30/03/2013

Ref. No. : 193/03/2012-13

STACK EMISSION MONITORING RESULTS Pipe Copmplex

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 6	Stack No. 7	Stack No. 8	Stack No. 9	Stack No. 10	Stack No. 11
01	Date of Sampling	---	05/03/2013	06/03/2013	06/03/2013	06/03/2013	06/03/2013	06/03/2013
02	Time of sampling	Hr.	17.00	12.00	14.30	15.15	Not Running During Visit	16.00
03	Stack Attached to	---	Mg Converter-I	Mg Converter-II	Zn Coating - I	Zn Coating - II	Zn Coating - III	Zn Coating - IV & V
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	Cyclone Seprater & Bag Filter	Cyclone Seprater & Bag Filter	Cyclone Seprater & Bag Filter	Cyclone Seprater & Bag Filter
05	Stack Height	Meter	30	30	30	30	30	30
06	Stack Diameter	Meter	0.488	0.488	0.584	0.584	---	---
07	Stack Temperature	°C	52	55	53	56	---	49
08	Ambient Temperature	°C	32	33	35	35	---	34
09	Average Velocity of Flue Gases	M/Sec.	7.2	5.3	5.0	8.2	---	11.8
10	Isokinetic flow rate for P.M. Sampling	LPM	12	9	9	14	---	21
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	---	2.0
h	Permissible limits for PM	mg/Nm ³	150	150	20 (Zn)	20 (Zn)	20 (Zn)	20 (Zn)
13	Measured Concentration of PM	mg/Nm ³	38	34	16(Zn)	14 (Zn)	---	15 (Zn)
14	Permissible limits for SO ₂	mg/Nm ³	40	40	NA	NA	NA	NA
15	Measured Concentration of SO ₂	mg/Nm ³	N.D.	N.D.	---	---	---	---
16	Permissible limits for Nox	mg/Nm ³	25	25	NA	NA	NA	NA
17	Measured Concentration of Nox	mg/Nm ³	4.9	2.8	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

N.D= Not Detectable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service



Mandy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 194/03/2012-13

Date: 30/03/2013

STACK EMISSION MONITORING RESULTS Pipe Complex

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 12	Stack No. 13	Stack No. 14	Stack No. 15	Stack No. 16	Stack No. 17
01	Date of Sampling	---	06/03/2013	06/03/2013	06/03/2013	07/03/2013	07/03/2013	07/03/2013
02	Time of sampling	Hr.	Not Running During Visit	16.45	17.30	Not Running During Visit	12.00	12.45
03	Stack Attached to	---	Core Cleaning & Dusting-I	Core Cleaning & Dusting-II	Core Shop-I	Core Shop-II	Core Shop-III	Core Shop-IV
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	---	---	---	---
05	Stack Height	Meter	30	30	30	30	30	30
06	Stack Diameter	Meter	0.588	0.59	0.584	0.584	0.584	0.584
07	Stack Temperature	°C	---	37	39	---	42	46
08	Ambient Temperature	°C	---	33	32	---	30	31
09	Average Velocity of Flue Gases	M/Sec.	---	13.1	11.3	---	13.5	13.9
10	Isokinetic flow rate for P.M. Sampling	LPM	---	9	21	---	10	10
11	Gaseous Sampling Flow Rate	LPM	---	2.0	2.0	---	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150	150
13	Measured Concentration of PM	mg/Nm ³	---	43	31	---	31	30
14	Permissible limits for SO ₂	mg/Nm ³	40	40	40	40	40	40
15	Measured Concentration of SO ₂	mg/Nm ³	---	2.8	N.D.	---	3.3	2.8
16	Permissible limits for Nox	mg/Nm ³	25	25	25	25	25	25
17	Measured Concentration of Nox	mg/Nm ³	---	5.5	2.7	---	3.8	3.4

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

N.D= Not Detectable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service



M. J.



Royal

Environment Auditing & Consultancy Service

303-304, Shivalki-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 195/03/2012-13

Date: 30/03/2013

STACK EMISSION MONITORING RESULTS Pipe Complex

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack No. 18	Stack No. 19	Stack No. 20	Stack No. 21	Stack No. 22
01	Date of Sampling	---	07/03/2013	08/03/2013	08/03/2013	08/03/2013	08/03/2013
02	Time of sampling	Hr.	15.00	14.30	15.15	16.00	11.30
03	Stack Attached to	---	Anneling Furnace - I	Anneling Furnace - II	Barrel Grinding-III	Barrel Grinding -IV&V	Sand Reclamation
04	Air Pollution Control Measures	---	---	---	Bag Filter	Bag Filler	Bag Filter
05	Stack Height	Meter	32	32	30	25	32
06	Stack Diameter	Meter	1.375	1.375	---	0.488	---
07	Stack Temperature	°C	148	162	48	41	40
08	Ambient Temperature	°C	34	34	34	33	31
09	Average Velocity of Flue Gases	M/Sec.	6.8	6.9	10.5	13.5	12.1
10	Isokinetic flow rate for P.M. Sampling	LPM	20	20	19	10	22
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	26	29	42	49	48
14	Permissible limits for SO ₂	mg/Nm ³	100 (PPM)	100 (ppm)	40	40	40
15	Measured Concentration of SO ₂	mg/Nm ³	3.3(PPM)	3.0(PPM)	1.7	2.0	N.D.
16	Permissible limits for Nox	mg/Nm ³	50 (PPM)	50 (PPM)	25	25	25
17	Measured Concentration of Nox	mg/Nm ³	4.6 (PPM)	5.3 (PPM)	4.0	5.2	N.D.


Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

N.D= Not Detectable

Instrument Used : 2 Nos of Stack Monitoring Kit - Vayubodhan make - VSS I

Both Stack kit Recalibration is Due on : 21/04/2013

Royal Environment Auditing & Consultancy Service



Mary
Analyst

Form No. 37 (Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).
 1 Name of the Department/Plant.: **Sinter, BF, DISP, JCO & Coating Units at Jindal Saw Limited, Samaghogha.**
 2 Raw materials, by products and finished products involved in the process. **TOTAL DUST**
 3 Particulars of sampling

Date of Sampling : 9th & 10th March, 2013

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration (As given in Second Schedule)	Refrance Method	Number of workers exposed at the location being monitored	Remark	Signature person taking samples	Name (in block letters)
				Number of sample	Range	Average	mg/m3					
1	Spiral Plant Nr. ID/OD	Total Dust	Personal Respirable Dust sampler APM 800	02	3-4	3.5	10	Gravimetric	8	---	<i>Manoj</i>	Mr. Manoj Sonrat
2	JCO Plant Nr. JCO Press	Total Dust		02	2-3	2.5	10	Gravimetric	6	---		
3	Sinter Plant At First Floor	Total Dust		02	3-5	4	10	Gravimetric	5	---		
4	BF Plant (Cast House)	CO		02	0.3-0.4	0.35	2	Gravimetric	9	---		
		Total Dust			3-4	3.5	10					
5	Coating Plant (Blasting Area)	Total Dust		02	3-5	4.0	10	Gravimetric	4	---		
6	DISP Plant Main Entrance	Total Dust	02	4-5	4.5	10	Gravimetric	10	---			

Instruments used : Envirotech make personal sampler, Model No. APM 800

Calibration Date Due on : 11/12/2013

For. Royal Environment Auditing & Consultancy Service

Manoj
Authorized Sign





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 197/03/2012-13

Date: 30/03/2013

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Date of Sampling : 9th & 10th March, 2013

Sr. No.	Location of Sampling	Results Avg. in dB(A)
01.	Inside Control Room of Sinter Plant	67.2
02.	Nr. Stock House of BF	66.8
03.	Inside Control Room of BF	67.5
04.	Inside Control Room of Blower House	70.2
05.	Inside Control of Cast House	65.9
06.	Inside Control Room of CPP	67.5
07.	Inside Control Room of Annealing Furnace of DISP	68.2
08.	Inside Laboratory of BF	65.9
09.	Inside Laboratory of DISP	67.2
10.	Inside ID & OD Control Room of JCO Plant	68.4
11.	Inside Control Room – Mill area of Spiral Plant	71.1
12.	Inside Spiral – 1	70.8
13.	Nr. Pipe cutting Area of Spiral Plant	71.8
14.	Inside JCO Plant	70.3
15.	Nr. JCO Press	71.9
16.	Inside DISP Plant	70.8
17.	Inside Coating Plant	67.7

Instruments used : Sound level meter, Model : SL - 4001 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is due on : 05/10/2013

Royal Environment Auditing & Consultancy Service



Mang
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 198/03/2012-13

Date: 30/03/2013

AMBIENT NOISE LEVEL MEASUREMENT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Date of Sampling : 9th & 10th March, 2013

Sr. No.	Location of Sampling	Results in dB(A) (Day Time)	Results in dB(A) (Night Time)
	Permissible Limits	75.0	70.0
01.	Nr. Admin. Building	68.9	66.7
02.	Nr. Old Colony	66.8	65.1
03.	Nr. LPG Yard	68.2	66.8
04.	Nr. Sinter Plant	70.5	68.9
05.	Nr. R. O. Plant	67.3	65.6
06.	Nr. Gate No. 2	66.8	65.5
07.	Nr. New Colony	68.9	66.7

Instruments used : Sound level meter, Model : SL - 4001 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is due on : 05/10/2013

Royal Environment Auditing & Consultancy Service



Mandy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 199/03/2012-13

Date: 30/03/2013

WATER SAMPLE ANALYSIS REPORT

Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch.

Date of Sample Collection : 10/03/2013

Source of Sample : Borewell Water Sample From Nr, Mess

Sr. No.	Parameters	Unit	Acceptable Limit(*)	Permissible Limits(*)	Results
01.	Colour	Pt.Co.Scale	5	15	Colourless
02.	Odour	--	Agreable	Agreable	Odourless
03.	pH	pH Unit	6.5 to 8.5	No Relaxation	7.45
04.	T.D.S.	mg/l	500	2000	1387
05.	Total Hardness	mg/l	200	600	458
06.	Turbidity	NTU	1	5	1.5
07.	Chloride	mg/l	250	1000	543
08.	Alkalinity	mg/l	200	600	285
09.	Phenolic Compound	mg/l	0.001	0.002	NIL
10.	Residual Chlorine	mg/l	0.2	1.0	NIL
11.	Fluoride	mg/l	1.0	1.5	0.35
12.	Ca as Ca	mg/l	75	200	189
13.	Mg as Mg	mg/l	30	100	157
14.	Copper	mg/l	0.05	1.5	NIL
15.	Iron	mg/l	0.3	No Relaxation	0.25
16.	Manganese	mg/l	0.1	0.3	0.18
17.	Sulphate	mg/l	200	400	0.50
18.	Nitrate	mg/l	45	No Relaxation	10

(*) Acceptable Limit & Permissible Limits as per IS 10500 : 2012, Drinking Water Specification

Royal Environment Auditing & Consultancy Ser



Mandy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 200/03/2012-13

Date: 30/03/2013

REPORT OF DOMESTIC WASTEWATER ANALYSIS


Name of company : Jindal Saw Limited,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Source Of Sample Collection : Domestic Effluent After Treatment

Date of Sample Collection : 10/03/2013

Sr. No.	Parameters	Unit	GPCB limits	STP Inlet	STP Outlet
01.	pH	pH Unit	----	7.91	7.38
02.	BOD (3 Days at 27°C)	mg/l	<20	174	15
03.	Suspended Solids	mg/l	<30	80	15
04.	Residual Chlorine	mg/l	Min. 0.5	----	0.60

Royal Environment Auditing & Consultancy Service



Mandy
Analyst