



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL                      RSPCB                      ISO 9001:2008                      OHSAS 18001:2007                      JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone No: 2369980, 2771865  
Report No: 2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Job Identification : A/3549  
Date : 7218  
Issued To : 24-11-2015  
M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Araji No. 9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 07-11-2015  
Date of Sample Receipt : 09-11-2015  
Date of Test : 09-11-2015 to 24-11-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Tiranga Pit (Mining Area)

## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol                                   | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--|---|
| 1    | Carbon Monoxide [microgram/m3]                    | 320            |  |   |
| 2    | Nitrogen Dioxide as NO2 [microgram/m3]            | 18.57          | IS 5182 (Part 10) : 1999                           | 4000  |
| 3    | Suspended Particulate Matter (SPM) [microgram/m3] | 360.75         | IS 5182 (Part 6) : 2006<br>IS 5182 (Part 4) : 1999 | 80.00<br>500  |
| 4    | Particulate Matter (PM2.5) [microgram/m3]         | 28.62          | CPCB Guidelines                                    | 60.00   |
| 5    | Sulphur Dioxide [microgram/m3]                    | 8.96           | IS 5182 (Part 2) : 2001                            | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m3]         | 79.66          | IS 5182 (Part 23)                                  | 100.00  |

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran Mal Yodi*  
Puran Mal Yodi  
Senior Analyst

*Rajesh Maheshwari*  
Rajesh Maheshwari  
Authorized Signatory  
(Report No: A/3549)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : [www.teamtesthouse.com](http://www.teamtesthouse.com)

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : [teamtesthouse@gmail.com](mailto:teamtesthouse@gmail.com)  
E-mail : [director@teamtesthouse.com](mailto:director@teamtesthouse.com)

## TEST REPORT


Report No. : A/3520  
Job Identification. : 7219  
Date : 03-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 07-11-2015  
Date of Sample Receipt : 09-11-2015  
Date of Test : 09-11-2015 to 24-11-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Suras Village Roof of Ratan Lal Gurjar S/o Lalu Gurjar

## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m <sup>3</sup> ]                         | 250            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO <sub>2</sub> [microgram/m <sup>3</sup> ]     | 14.43          | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m <sup>3</sup> ]      | 269.83         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM <sub>2.5</sub> ) [microgram/m <sup>3</sup> ] | 25.09          | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m <sup>3</sup> ]                         | 8.68           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m <sup>3</sup> ]              | 72.59          | IS 5182 (Part 23)        | 100.00  |

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Puran Mal Yogi  
Senior Analyst

  
Rajesh Maheshwari  
Authorized Signatory  
(Report No: A/3520)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No. : A/3551  
Job Identification. : 7220  
Date : 03-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 07-11-2015  
Date of Sample Receipt : 09-11-2015  
Date of Test : 09-11-2015 to 24-11-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Dhulkhera Village Roof of Shri Ratan Lal Mali

## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m <sup>3</sup> ]                         | 260            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO <sub>2</sub> [microgram/m <sup>3</sup> ]     | 16.7           | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m <sup>3</sup> ]      | 340.88         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM <sub>2.5</sub> ) [microgram/m <sup>3</sup> ] | 27.1           | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m <sup>3</sup> ]                         | 6.12           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM <sub>10</sub> ) [microgram/m <sup>3</sup> ]  | 72.41          | IS 5182 (Part 23)        | 100.00  |

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Puran Ma Yogi  
Senior Analyst

  
Rajesh Maheshwari  
Authorized Signatory  
(Report No: A/3551)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL RSPCB ISO 9001:2008 OHSAS 18001:2007 JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No. : A/3552  
Job Identification. : 7221  
Date : 03-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 07-11-2015  
Date of Sample Receipt : 09-11-2015  
Date of Test : 09-11-2015 to 24-11-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Samodi Village Roof of Shri Bheru Lal Jahir

## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m3]                    | 220            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO2 [microgram/m3]            | 13.71          | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m3] | 215.65         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM2.5) [microgram/m3]         | 22.77          | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m3]                    | 5.25           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m3]         | 66.37          | IS 5182 (Part 23)        | 100.00  |

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yogi  
Senior Analyst

Rajesh Maheshwari  
Authorized Signatory  
(Report No: A/3552)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No. : A/3807  
Job Identification. : 7559  
Date : 17-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 28-11-2015  
Date of Sample Receipt : 02-12-2015  
Date of Test : 02-12-2015 to 16-12-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Tiranga Pit (Mining Face)

## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m <sup>3</sup> ]                         | 360            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO <sub>2</sub> [microgram/m <sup>3</sup> ]     | 15.14          | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m <sup>3</sup> ]      | 317.46         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM <sub>2.5</sub> ) [microgram/m <sup>3</sup> ] | 24.66          | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m <sup>3</sup> ]                         | 9.79           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m <sup>3</sup> ]              | 62.3           | IS 5182 (Part 23)        | 100.00  |

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Puran Mal Yod  
Senior Analyst

Rajesh Maheshwari  
Authorized Signatory  
(Report No: A/3807)



**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

**NABL                      RSPCB                      ISO 9001:2008                      OHSAS 18001:2007                      JDA/UDH**

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : [www.teamtesthouse.com](http://www.teamtesthouse.com)

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : [teamtesthouse@gmail.com](mailto:teamtesthouse@gmail.com)  
E-mail : [director@teamtesthouse.com](mailto:director@teamtesthouse.com)

**TEST REPORT**


Report No. : A/3808  
Job Identification. : 7560  
Date : 17-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Arajji No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 28-11-2015  
Date of Sample Receipt : 02-12-2015  
Date of Test : 02-12-2015 to 16-12-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Near Suras Pit (Mining Face)

**RESULTS**

| S.No | Parameters   | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|--|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m3]                         | 310            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO <sub>2</sub> [microgram/m3]     | 14.27          | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m3]      | 279.39         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM <sub>2.5</sub> ) [microgram/m3] | 27.47          | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m3]                         | 8.16           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m3]              | 77.91          | IS 5182 (Part 23)        | 100.00  |

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
**Puran Mal Yogi**  
Senior Analyst

  
**Rajesh Maheshwari**  
Authorized Signatory  
(Report No: A/3808)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitranganj Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : [www.teamtesthouse.com](http://www.teamtesthouse.com)

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : [teamtesthouse@gmail.com](mailto:teamtesthouse@gmail.com)  
E-mail : [director@teamtesthouse.com](mailto:director@teamtesthouse.com)

## TEST REPORT


Report No. : A/3809  
Job Identification. : 7561  
Date : 17-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 28-11-2015  
Date of Sample Receipt : 02-12-2015  
Date of Test : 02-12-2015 to 16-12-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Dhulkhera Village Roof of Shri Ratan Lal Mali


## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m3]                    | 220            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO2 [microgram/m3]            | 14             | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m3] | 301.05         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM2.5) [microgram/m3]         | 30.2           | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m3]                    | 7.55           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m3]         | 64.58          | IS 5182 (Part 23)        | 100.00  |

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

  
Puran Mal Yogi  
Senior Analyst

  
Rajesh Maneshwari  
Authorized Signatory  
(Report No: A/3809)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

NABL

RSPCB

ISO 9001:2008

OHSAS 18001:2007

JDA/UDH

Office : E-65, Chitrangan Marg,  
C-Scheme, Jaipur-302001  
Phone : 0141-2369980, 2771865  
Website : www.teamtesthouse.com

Lab.: G1-584, Sitapura Industrial Area  
Tonk Road, JAIPUR-302022 Raj.  
Ph.: 94602-22039, 94602-22049  
E-mail : teamtesthouse@gmail.com  
E-mail : director@teamtesthouse.com

## TEST REPORT

Report No. : A/3810  
Job Identification. : 7562  
Date : 17-12-2015  
Issued To : M/S Jindal Saw Limited (Dhedwas Mines)  
Dhedwas Iron Ore Copper & Associated Minerals Mines Araj No.  
9697/6711, Near Tiranga Hills Village : Pur Tehsil Bhilwara  
District-Bhilwara 311802 (Rajasthan)  
Type of Unit : Mines  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 28-11-2015  
Date of Sample Receipt : 02-12-2015  
Date of Test : 02-12-2015 to 16-12-2015  
Sample Collected By : Darwesh Kumar  
Point of Collection : Samodi Village Roof of Shri Bheru Lal Jahir

## RESULTS

| S.No | Parameters  | Observed Value | Testing Protocol         | Limits as per National Ambient Air Quality Standard, 2009 |
|------|---|----------------|--------------------------|---|
| 1    | Carbon Monoxide [microgram/m3]                    | 190            | IS 5182 (Part 10) : 1999 | 4000  |
| 2    | Nitrogen Dioxide as NO2 [microgram/m3]            | 13.04          | IS 5182 (Part 6) : 2006  | 80.00   |
| 3    | Suspended Particulate Matter (SPM) [microgram/m3] | 248.84         | IS 5182 (Part 4) : 1999  | 500   |
| 4    | Particulate Matter (PM2.5) [microgram/m3]         | 25.93          | CPCB Guidelines          | 60.00   |
| 5    | Sulphur Dioxide [microgram/m3]                    | 6.56           | IS 5182 (Part 2) : 2001  | 80.00   |
| 6    | Particulate Matter (PM 10) [microgram/m3]         | 65.55          | IS 5182 (Part 23)        | 100.00  |

### Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran*  
Puran Mat Yogi  
Senior Analyst

*Rajesh*  
Rajesh Maheshwari  
Authorized Signatory  
(Report No: A/3810)