



Royal

Environment Auditing & Consultancy Service

303-304, Shivallik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. : 346/10/17-18

STACK EMISSION MONITORING RESULTS BLAST FURNACE-1 (GPCB ID:18037)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/2/3/7

Sr. No.	Particulars	Unit	S - 1	S - 2	S - 3
01	Date of Sampling	---	07/10/2017	07/10/2018	07/10/2019
02	Time of sampling	Hr.	12.20	11.15	10.00
03	Stack Attached to	---	Dedusting System	Boiler - I	Boiler - II
04	Air Pollution Control Measures	---	Bag Filter	---	---
05	Stack Height	Meter	35.0	45	45
06	Stack Diameter	Meter	1.5	1.4	1.4
07	Stack Temperature	°C	35	156	155
08	Ambient Temperature	°C	30	28	29
09	Average Velocity of Flue Gases	m/sec.	8.5	5.4	5.5
10	Isokinetic flow rate for P.M. Sampling	LPM	16	16	16
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	50	50
13	Measured Concentration of PM.	mg/Nm ³	15	11	13
14	Permissible limits for SO ₂	ppm	100	250	250
15	Measured Concentration of SO ₂	ppm	ND	8.6	8.7
16	Permissible limits for NO _x	ppm	50	150	150
17	Measured Concentration of NO _x	ppm	ND	12.2	12.6
18	Permissible limits for CO vol/vol	%	N.A.	1 % Max.	1 % Max.
19	Measured Concentration of CO vol/vol	%	N.A.	0.2	0.3

Note : Minimum Detectable Limit of SO₂ & NO_x is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 338/10/17-18

Date: .04/11/2017

Performance Evaluation of Air Pollution Control Equipments Blast Furnace Plant-1(GPCB ID:18037)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S - 1
01	Date of Sampling	---	07/10/2017
02	Attached to	---	De-dustingSystem
03	Stack Height	Meter	35
04	Stack Duct Diameter	Meter	1.4
05	Stack Temperature	°C	37
06	Ambient Temperature	°C	31
07	Average Velocity of Flue Gases	m/sec.	14.2
08	IsoKinetic Flowrate for Sampling	LPM	26
09	Inlet	mg/Nm ³	1134
10	Outlet	mg/Nm ³	15
11	Efficiency	%	98.68

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018

Royal Environment Auditing & Consultancy Service



Hitesh
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. : 344/10/17-18

STACK EMISSION MONITORING RESULTS

Sinter Plant - 1(GPCB ID:35456)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/2/3/7

Sr. No.	Particulars	Unit	S - 3	S - 5	S - 6
01	Date of Sampling	---	04-10-2017	04-10-2017	04-10-2017
02	Time of sampling	---	11.15	12.30	4.00
03	Stack Attached to	---	Sinter Furnace	Secondary Mixture House	Discharge End
04	Air Pollution Control Measures	---	ESP	ESP
05	Stack Height	Meter	50	36.08	32
06	Stack Diameter	Meter	2.0	1.25	1.30
07	Stack Temperature	°C	132	33	122
08	Ambient Temperature	°C	29	30	30
09	Average Velocity of Flue Gases	m/sec.	10.3	2.7	8.4
10	Isokinetic flow rate for P.M. Sampling	LPM	15	11	27
11	Gaseous Sampling Flow Rate	LPM	2.0	NA	NA
12	Permissible limits for PM	mg/Nm ³	150	150	150
13	Measured Concentration of PM	mg/Nm ³	28	9	76
14	Permissible limits for SO ₂	ppm	100	NA	NA
15	Measured Concentration of SO ₂	ppm	ND
16	Permissible limits for NO _x	ppm	50	NA	NA
17	Measured Concentration of NO _x	ppm	21.3

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

NA= Not Applicable

ND=Not Detectable

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 337/10/17-18

Date: .04/11/2017

Performance Evaluation of Air Pollution Control Equipments Sinter Plant-1 (GPCB ID 35456)

Name of Company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S - 3
01	Date of Sampling	---	04-10-2017
02	Attached to	---	Sinter Furnace
03	Stack Height	Meter	50
04	Stack Diameter	Meter	2.0
05	Stack Temperature	°C	138
06	Ambient Temperature	°C	30
07	Average Velocity of Flue Gases	m/sec.	25
08	IsoKinetic Flowrate for Sampling	LPM	9
09	Inlet	mg/Nm ³	1375
10	Outlet	mg/Nm ³	28
11	Efficiency	%	97.96

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018

Royal Environment Auditing & Consultancy Service



Analyst
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. : 345/10/17-18

STACK EMISSION MONITORING RESULTS

Sinter Plant -2 (GPCB ID:29017)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/2/3/7

Sr. No.	Particulars	Unit	S - 1	S - 7	S - 9
01	Date of Sampling	---	26-10-2017	05/10/2017	05/10/2017
02	Time of sampling	Hr.	12.15	11.15	15.30
03	Stack Attached to	---	Fuel crushing de-duster system (Flux)	Sinter Furnace	Discharging End of sinter de-dusting system
04	Air Pollution Control Measures	---	Dust Collector	ESP	ESP
05	Stack Height	Meter	30	50	50
06	Stack Diameter	Meter	0.7	2	1.3
07	Stack Temperature	°C	39	136	122
08	Ambient Temperature	°C	31	29	31
09	Average Velocity of Flue Gases	m/sec.	7.14	12.0	18.5
10	Isokinetic flow rate for P.M. Sampling	LPM	29.00	17	26
11	Gaseous Sampling Flow Rate	LPM	NA	2.0	NA
12	Permissible limits for PM	mg/Nm ³	150	150	150
13	Measured Concentration of PM	mg/Nm ³	21	32	40
14	Permissible limits for SO ₂	ppm	NA	100	NA
15	Measured Concentration of SO ₂	ppm	---	3.1	---
16	Permissible limits for NO _x	ppm	NA	50	NA
17	Measured Concentration of NO _x	ppm	---	18.2	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

NA= Not Applicable

ND= Not Detectable

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 339/10/17-18

Date: 04/11/2017

Performance Evaluation of Air Pollution Control Equipments

Sinter Plant-2 (GPCB ID:29017)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S-15	S - 7
01	Date of Sampling	---	05-10-2017	05-10-2017
02	Attached to	---	Discharging End of Sinter de-dusting system	Sinter Furnace
03	Stack Height	Meter	50	50
04	Stack Diameter	Meter	1.3	2.0
05	Stack Temperature	°C	125	139
06	Ambient Temperature	°C	31	31
07	Average Velocity of Flue Gases	m/sec.	18.46	17.0
08	IsoKinetic Flowrate for Sampling	LPM	27	24
09	Inlet	mg/Nm ³	805	1756
10	Outlet	mg/Nm ³	40	32
11	Efficiency	%	98.18	96.56

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 347/10/17-18

Date: 04/11/2017

STACK EMISSION MONITORING RESULTS BLAST FURNACE - 2 (GPCB ID:29026)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/2/3/7

Sr. No.	Particulars	Unit	S - 1	S - 4	S - 5
01	Date of Sampling	---	06/10/2017	06/10/2017	26/10/2017
02	Time of sampling	Hr.	10.15	12.15	12.00
03	Stack Attached to	---	Dedusting System	Coke fine building dust collecting system	Iron Ore fine & Dust Collecting System
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	Bag Filter
05	Stack Height	Meter	40.0	30.0	30.0
06	Stack Diameter	Meter	1.5	0.45	0.35
07	Stack Temperature	°C	35	32	35
08	Ambient Temperature	°C	29	30	31
09	Average Velocity of Flue Gases	m/sec.	9.9	4.5	3.9
10	Isokinetic flow rate for P.M. Sampling	LPM	13	19	7
11	Gaseous Sampling Flow Rate	LPM	NA	NA	NA
12	Permissible limits for PM	mg/Nm ³	150	150	150
13	Measured Concentration of PM.	mg/Nm ³	16	11	13
14	Permissible limits for SO ₂	mg/Nm ³	NA	NA	NA
15	Measured Concentration of SO ₂	mg/Nm ³	---	---	---
16	Permissible limits for NO _x	mg/Nm ³	NA	NA	NA
17	Measured Concentration of NO _x	mg/Nm ³	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

NA=Not Applicable

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 343/10/17-18

Date: .04/11/2017

Performance Evaluation of Air Pollution Control Equipments Blast Furnace Plant-2 (GPCB ID:29026)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S - 1
01	Date of Sampling	---	06/10/2017
02	Attached to	---	Dedusting System
03	Stack Height	Meter	40
04	Stack Duct Diameter	Meter	1.5
05	Stack Temperature	°C	37
06	Ambient Temperature	°C	29
07	Average Velocity of Flue Gases	m/sec.	13.17
08	IsoKinetic Flowrate for Sampling	LPM	24
09	Inlet	mg/Nm ³	1482
10	Outlet	mg/Nm ³	16
11	Efficiency	%	98.92

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018



Royal Environment Auditing & Consultancy Service

[Handwritten Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. : 348/10/2017-18

STACK EMISSION MONITORING RESULTS

Pipe Plant (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	S - 8	S - 9	S - 15	S - 20	S - 22	S - 23
01	Date of Sampling	---	09/10/2017	10/10/2017	10/10/2018	11/10/2017	09/10/2017	11/10/2017
02	Time of sampling	Hr.	11.30	10.30	15.00	11.15	11.45	15.30
03	Stack Attached to	---	Common stack Mg Converter- I&II	Zn Coating - I	Zn Coating - II	Zn Coating - III	Mg Converter -III	Zn Coating - IV & V
04	Air Pollution Control Measures	---	Bag Filter	Cyclone Seprater & Bag Filter	Cyclone Seprater & Bag Filter	Cyclone Separator & Bag Filter	Bag Filter	Cyclone Separator & Bag Filter
05	Stack Height	Meter	30	30	30	30	30	30
06	Stack Diameter	Meter	0.5	0.6	0.6	0.6	0.5	0.9
07	Stack Temperature	°C	53	34	35	36	47	41
08	Ambient Temperature	°C	30	30	30	30	30	30
09	Average Velocity of Flue Gases	m/sec.	10.4	5.7	6.3	8.1	6.6	8.7
10	Isokinetic flow rate for P.M. Sampling	LPM	18	24	26	15	27	16
11	Gaseous Sampling Flow Rate	LPM	2.0	---	---	---	---	2.0
12	Permissible limits for PM	mg/Nm ³	150	20 (Zn)	20 (Zn)	20 (Zn)	150	20 (Zn)
13	Measured Concentration of PM	mg/Nm ³	68	11 (Zn)	8 (Zn)	12 (Zn)	52	10 (Zn)
14	Permissible limits for SO ₂	mg/Nm ³	40	NA	NA	NA	NA	NA
15	Measured Concentration of SO ₂	mg/Nm ³	ND	---	---	---	---	---
16	Permissible limits for NO _x	mg/Nm ³	25	NA	NA	NA	NA	NA
17	Measured Concentration of NO _x	mg/Nm ³	5.1	---	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

NA=Not Applicable

ND=Not Detectable

Royal Environment Auditing & Consultancy Service



ANON
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. : 349/10/2017-18

STACK EMISSION MONITORING RESULTS Pipe Plant (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	S - 1	S - 2	S - 3	S - 4	S - 12	S - 18
01	Date of Sampling	---	12/10/2017	12/10/2018	12/10/2019	25/10/2017	13/10/2017	25/10/2017
02	Time of sampling	Hr.	10.15	12.15	14.45	15.10	11.10	11.30
03	Stack Attached to	---	Core Shop-I	Core Shop-II	Core Shop-III	Core Shop-IV	Core Cleaning & Dusting-I	Core Cleaning & Dusting-II
04	Air Pollution Control Measures	---	---	---	---	---	Bag Filter	Bag Filter
05	Stack Height	Meter	30	30	30	30	30	30
06	Stack Diameter	Meter	0.584	0.58	0.584	0.584	0.6	0.6
07	Stack Temperature	°C	34	32	33	33	36	34
08	Ambient Temperature	°C	30	30	30	31	30	30
09	Average Velocity of Flue Gases	m/sec.	2.1	2.1	2.6	2.9	8.2	6.5
10	Isokinetic flow rate for P.M. Sampling	LPM	9	9	11	13	15	27
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	2.0	2.0	2.0
12	Permissible limits for PM	mg/Nm ³	150	150	150	150	150	150
13	Measured Concentration of PM	mg/Nm ³	8	10	9	11	56	32
14	Permissible limits for SO ₂	mg/Nm ³	40	40	40	40	40	40
15	Measured Concentration of SO ₂	mg/Nm ³	2.6	3.1	2.3	2.6	ND	ND
16	Permissible limits for Nox	mg/Nm ³	25	25	25	25	25	25
17	Measured Concentration of Nox	mg/Nm ³	6.8	4.2	3.4	3.4	3.5	5.4

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

ND= Not Detectable

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

DATE:-04/11/2017

Ref. No. : 350/10/2017-18

STACK EMISSION MONITORING RESULTS

Pipe Plant (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	S - 7
01	Date of Sampling	---	12/10/2017
02	Time of sampling	Hr.	15.00
03	Stack Attached to	---	Sand Reclamation
04	Air Pollution Control Measures	---	Bag Filter
05	Stack Height	Meter	30
06	Stack Diameter	Meter	0.9
07	Stack Temperature	°C	92
08	Ambient Temperature	°C	31
09	Average Velocity of Flue Gases	m/sec.	7.7
10	Isokinetic flow rate for P.M. Sampling	LPM	27
11	Gaseous Sampling Flow Rate	LPM	2.0
12	Permissible limits for PM	mg/Nm ³	150
13	Measured Concentration of PM	mg/Nm ³	51
14	Permissible limits for SO ₂	mg/Nm ³	40
15	Measured Concentration of SO ₂	mg/Nm ³	2.8
16	Permissible limits for NO _x	mg/Nm ³	25
17	Measured Concentration of NO _x	mg/Nm ³	15.3

Note : Minimum Detectable Limit of SO₂ & No_x is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



H. H. H.
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 351/10/2017-18

Date: 04/11/2017

STACK EMISSION MONITORING RESULTS Pipe Plant (SDP-2) (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	S - 1	S - 2	S - 5	S - 6	S - 8
01	Date of Sampling	---	17/10/2017	25/10/2018	17/10/2021	25/10/2027	24/10/2017
02	Time of sampling	Hr.	10.15	11.15	11.30	15.20	17.10
03	Stack Attached to	---	Magnesium Treatment	Socket Cleaning	Zinc Coating	Tri- Grinding Section	Zinc Coating Machine(FL-7)
04	Air Pollution Control Measures	---	Bag Filter	Bag Filter	Bag Filter	Bag Filter	Cyclone Separator & Bag Filter
05	Stack Height	Meter	30	30	30	30	30
06	Stack Diameter	Meter	1.00	0.50	1.00	1.00	1.20
07	Stack Temperature	°C	51	32	34	35	35
08	Ambient Temperature	°C	34	30	30	30	30
09	Average Velocity of Flue Gases	m/sec	7.2	4.3	5.0	3.32	4.7
10	Isokinetic flow rate for PM Sampling	LPM	29	18	21	14.00	20
11	Gaseous Sampling Flow Rate	LPM	---	---	---	---	---
12	Permissible limits for PM	mg/Nm ³	50	50	50	50	50
13	Measured Concentration of PM	mg/Nm ³	31	16	21(Zn)	36.00	18 (Zn)
14	Permissible limits for SO ₂	PPM	NA	NA	NA	NA	NA
15	Measured Concentration of SO ₂	PPM	---	---	---	---	---
16	Permissible limits for NO _x	PPM	NA	NA	NA	NA	NA
17	Measured Concentration of NO _x	PPM	---	---	---	---	---

Note : Minimum Detectable Limit of SO₂ & Nox is 0.1 and 0.01 ppm respectively.

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on : 14/09/2018

ND= Not Detectable

N.A= Not Applicable

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 340/10/17-18

Date: 04/11/2017

Performance Evaluation of Air Pollution Control Equipments

Pipe Plant (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S - 8	S - 22
01	Date of Sampling	---	09/10/2017	09/10/2020
02	Attached to	---	Common stack Mg Converter - I & II	Mg Converter - III
03	Stack Height	Meter	30	30
04	Stack Diameter	Meter	0.5	0.5
05	Stack Temperature	°C	63	51
06	Ambient Temperature	°C	30	29
07	Average Velocity of Flue Gases	m/sec.	8.6	9.1
08	IsoKinetic Flowrate for Sampling	LPM	15	16
09	Inlet	mg/Nm ³	726	648
10	Outlet	mg/Nm ³	68	52
11	Efficiency	%	90.63	91.98

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018

Royal Environment Auditing & Consultancy Service



Rajesh
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 341/10/17-18

Date:04/11/2017

Performance Evaluation of Air Pollution Control Equipments

Pipe Plant (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch


Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S - 9	S - 15	S - 20	S - 21
01	Date of Sampling	---	10/10/2017	10/10/2017	11/10/2017	11/10/2017
02	Attached to	---	Zinc Coating - I	Zinc Coating - II	Zinc Coating - III	Zinc Coating - IV
03	Stack Height	Meter	30	30	30	30
04	Stack Duct Diameter	Meter	0.6	0.6	0.6	0.5
05	Stack Temperature	°C	36	37	38	43
06	Ambient Temperature	°C	30	30	30	30
07	Average Velocity of Flue Gases	m/sec.	10	9.7	12	11.6
08	IsoKinetic Flowrate for Sampling	LPM	9	18	23	21
09	Inlet	mg/Nm ³	271	262	273	1175
10	Outlet	mg/Nm ³	11	8	12	10
11	Efficiency	%	95.94	96.95	95.60	99.15

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 342/10/17-18

Date: 04/11/2017

Performance Evaluation of Air Pollution Control Equipments Pipe Plant (SDP-2) (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 11255_Part - 1/3

Sr. No.	Particulars	Unit	S - 1	S - 5	S-8
01	Date of Sampling	---	17/10/2017	17/10/2017	24/10/2017
02	Attached to	---	Mg Treatment	Zinc Coating	Zinc Coating machine(FL-7)
03	Stack Height	Meter	30	30	30
04	Stack Duct Diameter	Meter	1.00	1.00	0.8
05	Stack Temperature	°C	53	37	39
06	Ambient Temperature	°C	34	30	30
07	Average Velocity of Flue Gases	m/sec.	8.09	8.6	9.32
08	IsoKinetic Flowrate for Sampling	LPM	14	16	17
09	Inlet	mg/Nm ³	1471	304	324
10	Outlet	mg/Nm ³	31	21	17
11	Efficiency	%	97.89	93.09	94.75

Instrument Used : Stack Monitoring Kit - Ecotech make - ESS 100

Calibration due on 14/09/2018

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. : 358/10/2017-18

WORK ZONE NOISE LEVEL MEASUREMENT BLAST FURNACE- 1 (GPCB ID:18037)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Date of sampling : 7th October, 2017

Sr. No.	Location of Sampling	Value in dB(A)		
		Min.	Max.	Leq
01.	Nr. Stock House	61.3	78.9	70.6
02.	Inside Control Room	46.5	56.3	52.4
03.	Inside Control room of Cast House	42.8	57.3	52.1
04.	Inside Laboratory	41.3	52.8	48.9
05.	Inside Control Room of Blower House	52.7	61.2	56.5
06.	Inside Control Room of CPP	49.3	62.8	56.4

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



Hitesh
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 357/10/2017-18

Date: .04/11/2017

WORK ZONE NOISE LEVEL MEASUREMENT

SINTER PLANT- 1 (GPCB ID:35456)

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Date of sampling : 4th October, 2017

Sr. No.	Location of Sampling	Value in dB(A)		
		Min.	Max.	Leq
1	Inside Control Room	37.8	51.9	43.6
2	Inside Mechanical Room	44.3	58.1	51.2
3	Inside Electrical Room	43.1	51.8	47.6
4	Inside Plant Office	42.6	58.1	53.1

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB,C-80 to 130 dB.

Recalibration is due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



H. H. H.
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 362/10/2017-18

Date: .04/11/2017

WORK ZONE NOISE LEVEL MEASUREMENT

SINTER PLANT - 2 (29017)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Date of sampling : 5th October, 2017

Sr. No.	Location of Sampling	Value in dB(A)		
		Min.	Max.	Leq
01.	Inside Control Room	46.8	57.2	53.1
02.	Inside Operator Room	56.1	65.3	60.4
03.	Near Proportioning Bulding	52.9	65.3	59.2
04.	Near Crusher House	62.3	68.1	62.5

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB,C-80 to 130 dB.

Recalibration is due on : 14/09/2018

Royal Environment Auditing & Consultancy Service



H. H. H.
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 361/10/2017-18

Date: 04/11/2017

WORK ZONE NOISE LEVEL MEASUREMENT BLAST FURNACE - 2 (GPCB ID:29026)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Date of sampling : 6th october, 2017

Sr. No.	Location of Sampling	Value in dB(A)		
		Min.	Max.	Leq
01.	Inside Control Room	51.7	60.4	55.6
02.	Nr. Stock House	50.3	62.4	56.8
03.	C/R Blower House	56.2	65.2	60.4

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is due on : 14/09/2018

Royal Environment Auditing & Consultancy Service

AAE
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 359/10/2017-18

Date: .04/11/2017

WORK ZONE NOISE LEVEL MEASUREMENT PIPE PLANT (GPCB ID:18036)

Name of company : JINDAL SAW LIMITED,

Village: Samaghogha,

Tal. : Mundra, Dist. Kutch

Date of sampling : 30th October, 2017

Sr. No.	Location of Sampling	Value in dB(A)		
		Min.	Max.	Leq
01.	Inside Control Room of Annealing Furnace of DISP / SDP	45.1	56.9	51.2
02	Inside DISP / SDP Plant	63.9	72.3	66.2
03	Nr. CCM SDP-2	58.5	72.4	65.8
04	Inside Control Room of Annealing Furnace of SDP-2	44.6	57.1	54.3
05	Nr. Zinc Coating SDP-2	62.9	70.5	64.7
06	Near Mould Shop	64.2	79.4	73.6

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB,C-80 to 130 dB.

Recalibration is due on : 14/09/2018

Royal Environment Auditing & Consultancy Service

Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 363/10/2017-18

Date: 04/11/2017

REPORT OF DOMESTIC WASTE WATER ANALYSIS

Name of company : JINDAL SAW LIMITED,
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Source of Sample Collection : Sewage Treatment Plant (Inlet & Outlet)


Date of Sampling : 31/10/2017

Test Method : As per IS Standards - 3025

Sr. No.	Parameters	Unit	GPCB limits for Treated Effluent	Raw Sewage	Treated Effluent
01.	pH	pH Unit	----	7.65	7.05
02.	BOD (3 Days at 27°C)	mg/l	<20	154	10
03.	Total Dissolve Solid	mg/l	...	1351	1432
04.	COD	mg/l	...	125	32
05.	Total Suspended Solid	mg/l	<30	156	8
06.	Oil & Grease	mg/l	...	ND	ND
07.	Residual Chlorine	mg/l	Min. 0.5	----	0.58

ND=Not Detectable

Royal Environment Auditing & Consultancy Service



Analyst

Form No. 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).

- 1 Name of the Department/Plant.: **BF Plant-1 at JINDAL SAW LIMITED, Samaghogha. (GPCB ID: 18037)**
- 2 Raw materials, by products and finished products involved in the process. **TOTAL DUST & CO.**
- 3 Particulars of sampling

Date of Sampling : 7th October, 2017

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration (As given in Second Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remark	Signature of person taking samples	Name (in block letters)
				Number of sample	Range	Average						
1	BF Plant (Cast House)	CO Total Dust	Personal Respirable Dust sampler IAS 001	02	10-18 2.0-2.7	14.0 2.35	50 (ppm) 10	Gravimetric	6	----	<i>Hitesh Umleti</i>	Mr. Hitesh Umletiya

Instruments used : Envirotech make personal sampler, Model No. IAS 001
Calibration Due on. : 12/11/2017

For. Royal Environment Auditing & Consultancy Service

Hitesh Umleti
Authorized Sign

Form No. 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).

- 1 Name of the Department/Plant: **Sinter Plant-1 at JINDAL SAW LIMITED, Samaghogha. (GPCB ID: 35456)**
- 2 Raw materials, by products and finished products involved in the process. **TOTAL DUST**
- 3 Particulars of sampling

Date of Sampling : 4th October, 2017

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration (As given in Second Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remark	Signature of person taking samples	Name (in block letters)
				Number of sample	Range	Average						
1	Sinter Plant-1 at First Floor	Total Dust	Personal Respirable Dust sampler IAS 001	02	1.1-2.1	1.6	10	Gravimetric	4	----	<i>Hitesh</i>	Mr. Hitesh Umletiya

Instruments used : Envirotech make personal sampler, Model No. IAS 001

Calibration Due on. : 12/11/2017



For. Royal Environment Auditing & Consultancy Service

Hitesh
Authorized Sign

Form No. 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).

- 1 Name of the Department/Plant.: **Sinter Plant-2 at JINDAL SAW LIMITED, Samaghogha. (GPCB ID:29017)**
- 2 Raw materials, by products and finished products involved in the process. **TOTAL DUST**
- 3 Particulars of sampling

Date of Sampling :5th October, 2017

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration (As given in Second Schedule)		Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in block letters)
				Number of sample	Range	Average	mg/m ³						
1	Sinter Plant-2 at First Floor	Total Dust	Personal Respirable Dust sampler IAS 001	02	1.2-1.9	1.55	10	Gravimetric	4	----	<i>Hitesh Umleti</i>	Mr. Hitesh Umletiya	

Instruments used : Envirotech make personal sampler, Model No. IAS 001

Calibration Due on. : 12/11/2017



For. Royal Environment Auditing & Consultancy Service

Hitesh Umleti
Authorized Sign

Form No. 37
(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).

- 1 Name of the Department/Plant: **BF Plant-2 at JINDAL SAW LIMITED, Samaghogha. (GPCB ID: 29026)**
- 2 Raw materials, by products and finished products involved in the process. **TOTAL DUST & CO.**
- 3 Particulars of sampling

Date of Sampling : 6th October, 2017

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration given in Second Schedule	Reference Method	Number of workers exposed at the location being monitored	Remark	Signature of person taking samples	Name (in block letters)
				Number of sample	Range	Average						
1	BF Plant (Cast House)	CO	Personal Respirable Dust sampler IAS 001	02	3-10	6.5 (ppm)	50 (ppm)	Gravimetric	5	----	<i>Hitesh</i>	Mr. Hitesh Umletiya
		Total Dust			1.2-2.4	1.8	10					

Instruments used : Envirotech make personal sampler, Model No. IAS 001

Calibration Due on. : 12/11/2017



For. Royal Environment Auditing & Consultancy Service

Hitesh
Authorized Sign

Form No. 37 (Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A (a)(e).

- 1 Name of the Department/Plant: DISP, JCO & Coating Units at JINDAL SAW LIMITED, Samaghogha. (GPCB ID: 18036)
- 2 Raw materials, by products and finished products involved in the process. TOTAL DUST
- 3 Particulars of sampling

Date of Sampling : 9th October, 2017

Sr. No	Location Operation monitored	Identified Contaminate	Sampling Instrument used	Airborne Contamination			TWA concentration given in Second Schedule) mg/m ³	Reference Method	Number of workers exposed at the location being monitored	Remark	Signature of person taking samples	Name (in block letters)
				Number of sample	Range	Average						
1	CCM Area (SDP / DISP)	Total Dust	Personal Respirable Dust sampler IAS 001	02	3.0-3.9	3.5	10	Gravimetric	4	----	<i>Hitesh</i>	Mr. Hitesh Umletiya
2	CCM Area (SDP-2)	Total Dust	Personal Respirable Dust sampler IAS 001	02	1.0-1.8	1.4	10	Gravimetric	6	----		

Instruments used : Envirotech make personal sampler, Model No. IAS 001

Calibration Due on. : 12/11/2017



For. Royal Environment Auditing & Consultancy Service

Hitesh
Authorized Sign



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 331/10/2017-18

Date : 04/11/2017

NATIONAL AMBIENT AIR QUALITY MONITORING REPORT FOR THE MONTH - OCTOBER : 2017

Name of company : JINDAL SAW LIMITED
 Village: Samaghogha,
 Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/6/10/23

Sr. No.	Particulars	Unit	Location No.1 : Weigh Bridge (Nr.Gate No-2) (E)								
			01	02	03	04	05				
01.	No. of Week	----									
02.	Date & Time Starting of Monitoring	---	03/10/17 08.45	06/10/17 09.15	09/10/17 09.00	14/10/17 08.45	16/10/17 08.45	17/10/17 09.15	23/10/17 09.00	27/10/17 09.15	30/10/17 08.45
03.	Date & Time Ending of Monitoring	---	04/10/17 08.45	07/10/17 09.15	10/10/17 09.00	15/10/17 08.45	17/10/17 08.45	18/10/17 09.15	24/10/17 09.00	28/10/17 09.15	31/10/17 08.45
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	----	WNW	WSW	W	WSW	W	W	WSW	W	WNW
06.	Average Wind Speed	Km/Hr.	6.5	7.6	5.2	7.1	6.8	4.9	8.1	6.7	7.1
07.	Average flow rate for Dust Monitoring PM10	m3/min.	1.12	1.14	1.13	1.11	1.13	1.15	1.11	1.13	1.16
08.	Average flow rate for Dust Monitoring PM2.5	m3/hr.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
09.	Average flow rate for Gas Monitoring	LPM	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10.	Permissible limits for PM10*	µg/m3	100	100	100	100	100	100	100	100	100
11.	Measured Concentration of PM10	µg/m3	67	53	62	58	61	59	64	58	61
12.	Permissible limits for PM2.5*	µg/m3	60	60	60	60	60	60	60	60	60
13.	Measured Concentration of PM2.5	µg/m3	34	36	30	28	32	31	36	32	28
14.	Permissible limits for SO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
15.	Measured Concentration of SO ₂	µg/m3	7.2	8.1	7.9	7.6	8.1	8.4	8.3	7.9	8.7
16.	Permissible limits for NO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
17.	Measured Concentration of NO ₂	µg/m3	15.8	16.2	17.6	14.9	15.4	17.2	15.3	16.4	17.2
18.	Permissible limit for CO **	µg/m3	2000	2000	2000	2000	2000	2000	2000	2000	2000
19.	Measured Concentration of CO	µg/m3	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.

Instrument used : (1) 4 Nos. RDS (APM - 217 BL), (2) 3 Nos. of Gaseous Sampler (AAS 109) (3) 3 Nos. PM 2.5 Sampler (AAS 127)

All Calibration due on : 05/05/2018

*Permissible Limits are as per NAAQ Standard 16th November 2009.

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 332/10/2017-18

Date : 04/11/2017

NATIONAL AMBIENT AIR QUALITY MONITORING REPORT FOR THE MONTH - OCTOBER : 2017

Name of company : JINDAL SAW LIMITED
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/6/10/23

Sr. No.	Particulars	Unit	Location No.2 : Sinter plant - 1 (NNW)								
			01	02	03	04	05	06	07	08	09
01.	No. of Week	----									
02.	Date & Time Starting of Monitoring	---	03/10/17 09.00	06/10/17 09.00	09/10/17 09.15	14/10/17 09.00	16/10/17 09.15	17/10/17 09.00	23/10/17 09.15	27/10/17 08.45	30/10/17 09.00
03.	Date & Time Ending of Monitoring	---	04/10/17 09.00	07/10/17 09.00	10/10/17 09.15	15/10/17 09.00	17/10/17 09.15	18/10/17 09.00	24/10/17 09.15	28/10/17 08.45	31/10/17 09.00
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	---	WNW-	WSW	W	WSW	W	W	WSW	W	WNW
06.	Average Wind Speed	Km/Hr.	6.5	7.6	5.2	7.1	6.8	4.9	8.1	6.7	7.1
07.	Average flow rate for Dust Monitoring PM10	m3/min.	1.11	1.14	1.13	1.15	1.14	1.12	1.14	1.16	1.17
08.	Average flow rate for Dust Monitoring PM2.5	m3/hr.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
09.	Average flow rate for Gas Monitoring	LPM	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10.	Permissible limits for PM10*	µg/m3	100	100	100	100	100	100	100	100	100
11.	Measured Concentration of PM10	µg/m3	70	62	61	68	69	58	63	67	62
12.	Permissible limits for PM2.5*	µg/m3	60	60	60	60	60	60	60	60	60
13.	Measured Concentration of PM2.5	µg/m3	39	35	29	39	36	34	31	28	32
14.	Permissible limits for SO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
15.	Measured Concentration of SO ₂	µg/m3	7.1	7.9	7.7	7.3	8.2	8.1	8.4	7.6	7.8
16.	Permissible limits for NO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
17.	Measured Concentration of NO ₂	µg/m3	16.8	17.2	16.3	16.1	17.9	18.5	16.8	17.2	16.7
18.	Permissible limit for CO **	µg/m3	2000	2000	2000	2000	2000	2000	2000	2000	2000
19.	Measured Concentration of CO	µg/m3	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.

Instrument used : (1) 3 Nos. RDS (APM - 217 BL), (2) 3 Nos. of Gaseous Sampler (AAS 109) (3) 3 Nos. PM 2.5 Sampler (AAS 127)

All Calibration due on : 05/05/2018

*Permissible Limits are as per NAAQ Standard 16th November 2009.

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalk-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 333/10/2017-18

Date : 04/11/2017

NATIONAL AMBIENT AIR QUALITY MONITORING REPORT FOR THE MONTH - OCTOBER : 2017

Name of company : JINDAL SAW LIMITED
 Village: Samaghogha,
 Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/6/10/23

Sr. No.	Particulars	Unit	Location No.3 : Nr. Work Shop Spiral-II (W)								
			01		02		03		04		05
01.	No. of Week	---									
02.	Date & Time Starting of Monitoring	---	03/10/17 09.15	06/10/17 08.45	09/10/17 09.30	14/10/17 09.15	16/10/17 09.30	17/10/17 08.45	23/10/17 09.30	27/10/17 09.00	30/10/17 09.15
03.	Date & Time Ending of Monitoring	---	04/10/17 09.15	07/10/17 08.45	10/10/17 09.30	15/10/17 09.15	17/10/17 09.30	18/10/17 08.45	24/10/17 09.30	28/10/17 09.00	31/10/17 09.15
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	---	WNW	WSW	W	WSW	W	W	WSW	W	WNW
06.	Average Wind Speed	Km/Hr.	6.5	7.6	5.2	7.1	6.8	4.9	8.1	6.7	7.1
07.	Average flow rate for Dust Monitoring PM10	m3/min.	1.13	1.11	1.12	1.14	1.15	1.13	1.14	1.12	1.11
08.	Average flow rate for Dust Monitoring PM2.5	m3/hr.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
09.	Average flow rate for Gas Monitoring	LPM	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10.	Permissible limits for PM10*	µg/m3	100	100	100	100	100	100	100	100	100
11.	Measured Concentration of PM10	µg/m3	57	59	62	63	58	57	54	64	58
12.	Permissible limits for PM2.5*	µg/m3	60	60	60	60	60	60	60	60	60
13.	Measured Concentration of PM2.5	µg/m3	31	29	30	32	29	30	35	31	28
14.	Permissible limits for SO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
15.	Measured Concentration of SO ₂	µg/m3	7.4	8.1	8.6	7.5	7.3	6.5	8.1	7.9	7.4
16.	Permissible limits for NO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
17.	Measured Concentration of NO ₂	µg/m3	16.9	17.5	17.6	18.1	17.6	17.8	16.9	18.2	17.3
18.	Permissible limit for CO **	µg/m3	2000	2000	2000	2000	2000	2000	2000	2000	2000
19.	Measured Concentration of CO	µg/m3	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.

Instrument used : (1) 3 Nos. RDS (APM - 217 BL), (2) 3 Nos. of Gaseous Sampler (AAS 109) (3) 3 Nos. PM 2.5 Sampler (AAS 127)

All Calibration due on : 05/05/2018

*Permissible Limits are as per NAAQ Standard 16th November 2009.

Royal Environment Auditing & Consultancy Service



Analyst Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 334/10/2017-18

Date : 04/11/2017

NATIONAL AMBIENT AIR QUALITY MONITORING REPORT FOR THE MONTH - OCTOBER : 2017

Name of company : JINDAL SAW LIMITED
 Village: Samaghogha,
 Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_2/6/10/23

Sr. No.	Particulars	Unit	Location No.4 : MAIN GATE (E)								
			01	02	03	04	05				
01.	No. of Week	----									
02.	Date & Time Starting of Monitoring	---	03/10/17 09.30	06/10/17 09.30	09/10/17 08.45	14/10/17 09.30	16/10/17 09.00	17/10/17 09.30	23/10/17 08.45	27/10/17 09.30	30/10/17 09.30
03.	Date & Time Ending of Monitoring	---	04/10/17 09.30	07/10/17 09.30	10/10/17 08.45	15/10/17 09.30	17/10/17 09.00	18/10/17 09.30	24/10/17 08.45	28/10/17 09.30	31/10/17 09.30
04.	Duration of Sampling	Min.	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00	1440.00
05.	Dominant Wind Direction (From)	---	WNW	WSW	W	WSW	W	W	WSW	W	WNW
06.	Average Wind Speed	Km/Hr.	6.5	7.6	5.2	7.1	6.8	4.9	8.1	6.7	7.1
07.	Average flow rate for Dust Monitoring PM10	m3/min.	1.14	1.15	1.11	1.15	1.10	1.12	1.11	1.13	1.12
08.	Average flow rate for Dust Monitoring PM2.5	m3/hr.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
09.	Average flow rate for Gas Monitoring	LPM	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10.	Permissible limits for PM10*	µg/m3	100	100	100	100	100	100	100	100	100
11.	Measured Concentration of PM10	µg/m3	56	54	62	56	61	58	58	57	52
12.	Permissible limits for PM2.5*	µg/m3	60	60	60	60	60	60	60	60	60
13.	Measured Concentration of PM2.5	µg/m3	33	28	36	30	31	29	38	31	29
14.	Permissible limits for SO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
15.	Measured Concentration of SO ₂	µg/m3	8.3	8.9	7.9	8.1	8.6	9.1	7.6	8.1	7.8
16.	Permissible limits for NO ₂ *	µg/m3	80	80	80	80	80	80	80	80	80
17.	Measured Concentration of NO ₂	µg/m3	16.5	17.2	16.9	17.2	16.8	17.4	16.6	17.5	15.9
18.	Permissible limit for CO **	µg/m3	2000	2000	2000	2000	2000	2000	2000	2000	2000
19.	Measured Concentration of CO	µg/m3	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.	B.D.L.

Instrument used : (1) 3 Nos. RDS (APM - 217 BL), (2) 3 Nos. of Gaseous Sampler (AAS 109) (3) 3 Nos. PM 2.5 Sampler (AAS 127)

All Calibration due on : 05/05/2018

*Permissible Limits are as per NAAQ Standard 16th November 2009.

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :335/10/2017-18

Date.:04/11/2017

FUGITIVE EMISSION MONITORING REPORT

Name of company : JINDAL SAW LIMITED
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_Part - 2/6/10/23/22

Sr. No.	Particulars	Unit	A - 1	A - 2	A - 3
01.	Location of Ambient	---	BF-1 RMH Stock House	BF-2 RMH Stock House	Sinter RMH Yard
02.	Date of sampling	---	12/10/2017	12/10/2017	11/10/2017
03.	Time of sampling	---	10.15	10.00	9.15
04.	Duration of Sampling	Hr.	8.00	8.00	8.00
05.	Dominant Wind Direction (From)	---	WNW	W	WSW
06.	Average Wind Speed	Km/Hr.	7.6	7.1	5.4
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10*	µg/m3	3000	3000	3000
10.	Measured Concentration of PM 10	µg/m3	1486	1396	1614
11.	Permissible limits for SO2*	µg/m3	150	150	150
12.	Measured Concentration of SO2	µg/m3	13.8	13.1	14.2
13.	Permissible limits for NO2*	µg/m3	120	120	120
14.	Measured Concentration of NO2	µg/m3	18.9	21.7	21.6
15.	Permissible limit for CO **	µg/m3	2000	2000	2000
16.	Measured Concentration of CO	µg/m3	BDL	BDL	BDL
17.	Permissible limit for Pb*	µg/m3	2	2	2
18.	Measured Concentration of Pb	µg/m3	ND	ND	ND

Instrument used : (1) 3 Nos. RDS (APM - 217 BL), (2) 3 Nos. Gaseous Sampler (APM 109)
All Calibration due on : 05/05/2018

BDL= Below Detectable Limit
ND= Not Detectable

Royal Environment Auditing & Consultancy Service



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 04/11/2017

Ref. No. :336/10/2017-18

FUGITIVE EMISSION MONITORING REPORT

Name of company : JINDAL SAW LIMITED
Village: Samaghogha,
Tal. : Mundra, Dist. Kutch

Test Method : As per IS Standards - 5182_Part - 2/6/10/23/22

Sr. No.	Particulars	Unit	A - 4	A - 5	A - 6
01.	Location of Ambient	----	Sinter 2 Ground Hopper	DISP "CCM" Area	BF CAST HOUSE
02.	Date of sampling	----	11/10/2017	13/10/2017	13/10/2017
03.	Time of sampling	----	9.30	9.00	9.30
04.	Duration of Sampling	Hr.	8.00	8.00	8.00
05.	Dominant Wind Direction (From)	----	W	WNW	W
06.	Average Wind Speed	Km/Hr.	5.2	8.3	7.5
07.	Average flow rate during sampling	m3/Hr.	1.0	1.0	1.0
08.	Average flow rate for Gas sampling	LPM	0.2	0.2	0.2
09.	Permissible limits for PM 10*	µg/m3	3000	3000	3000
10.	Measured Concentration of PM 10	µg/m3	1320	1208	1389
11.	Permissible limits for SO2*	µg/m3	150	150	150
12.	Measured Concentration of SO2	µg/m3	12.1	13.3	15.6
13.	Permissible limits for NO2*	µg/m3	120	120	120
14.	Measured Concentration of NO2	µg/m3	20.8	21.4	24.8
15.	Permissible limit for CO **	µg/m3	2000	2000	2000
16.	Measured Concentration of CO	µg/m3	BDL	BDL	BDL
17.	Permissible limit for Pb*	µg/m3	2	2	2
18.	Measured Concentration of Pb	µg/m3	ND	ND	ND

Instrument used : (1) 3 Nos. RDS (APM - 217 BL), (2) 3 Nos. Gaseous Sampler (APM 109)
All Calibration due on : 05/05/2018

BDL= Below Detectable Limit
ND= Not Detectable

Royal Environment Auditing & Consultancy Service



W. K. Patel
Analyst